

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

We are still in prototype test phase on certain machine models.

If you have a machine noted below in test phase and would like to be a part of the testing process,
please email me at: accentsindesign@gmail.com.

IMPORTANT: When placing your order, please note the brand of machine and model number in the area noted "instructions to shipper", this area to add your information is at check-out. This information is very important to ensure you receive the correct product.

Alpha 4005 **Low**

Atlas 526 **Low**

American Beauty KZM **Low**

Babylock BL1000, BL1050, BL1108, BL1400, BL1500, BL1506, BL1550, BL1556, BL1750, BL200, BL2100, BL2150, BL2160, BL2200, BL2300, BL2400, BL2500, BL2600, BL2800, BL3500, BL500, BL5500, BL6000, BL6150, BL6200, BL6300, BL6600, BL6700, BL6800, BL702, BL713, BL722, BL7500, BL8000, BL8500, BL9500, EM1, EM2, ES1, ES2, ESE, ESP, & Quilter Choice, Babylock Symphony, Babylock Serenade **Low**

Babylock Cresendo – **High Shank** – Needle position needs to be adjusted from 3.5 to 5.0 to center the needle in the ankle of the Clarity foot. – Do not use small washer on your shank screw.

Babylock 6300, 6800, 9500 **Low**

Babylock ESG, ESG3, ESL – Use Babylock/Brother shank adapter #XA6027001 (Sewingpartsonline.com product number) – **High Shank will fit on the shank adapter.**

Babylock Destiny – Use Babylock/Brother shank adapter #XA6023001 (Sewingpartsonline.com product number) **High Shank will fit on the shank adapter.**

Babylock BLQP, BL500A – Use **High Shank Straight Stitch foot**

Bernina 500, 600, Most others **Low with Bernina shank adaptor #77**

700, 800, 820, 830 – **Low with Bernina shank adaptor #77**

Old Style Presser Foot Type use Bernina shank adaptor #75 – Use Low foot with adapter #75.

Brother 100, 1211A, 1231, 1241, 150, 160, 1681 Riveria, 170, 180, 181 Project, 191, 2015, 220, 230, 25 SP, 300, 320, 350, 360, 431, 441, 451, 461, 471, 491, 5001, 552N, 630, 661, 666, 681, 681B, 702, 7029, 703, 721, 741, 751, 761, 771, 781, 8010, 8015, 8020, 8050, 8060, 824, 845, 870, 895, 90, 976, B347, B348, B373, B375, B376, B377 & B500, CS5100, CS6000, CS80, CS8002, CS8060, CS8072, CS8100, CS8150, CS8200, CS4000, CSE002, E100, ES2000, ESi2, LB6800, LS1217, LS1520, LS1717, LS2125, LS2720, LS2820, LS2825, LS2920, LS2775, LS400, LS5700, M7029, M880, NX400Q, NX200, NX400, NX600, NXL 400, PC1000, PC1250, PC1750, PC1950, PC2300, PC24, PC2500, PC2800, PC3000, PC4000, PC5000, PC6000, PC6500, PC7000, PC7500, PC8000, PC8200, PC8500, PC8895, PE100, PE150, PE150V, PE180D, PE200, PE300S, PE400D, PE82, PE8200, PE8500, PL1000, PL2100), PL900, PR600, PS1000, PS1200, PS1250, PS1700, PS1750, PS1800, PS1900, PS1950, PS2100, PS2150,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Brother continued:

PS2200, PS2250, PS2300, PS2360, PS2400, PS2470, PS2500, PS31, PS3100, PX100, PX200, PX300, SE2000, SE270D, VX100, VX1000, VX1005, VX1010, VX1011, VX1020, VX1040, VX1060, VX1080, VX1090, VX1100, VX1111, VX1120, VX1125, VX1140, VX1200, VX1250, VX1400, VX1500, VX2010, VX2020, VX2051, VX2080, VX520, VX540, VX560, VX566, VX640, VX660, VX700, VX707, VX710, VX720, VX757, VX760, VX780, VX790, VX800, VX807, VX808, VX809, VX809, VX810, VX847, VX857, VX860, VX870, VX880, VX883, VX890, VX920, VX940, VX950, VX960, VX970, VX980, ULT2003D, XL1001, XL114, XL1351, XL1561, XL1781, XL1950, XL200, XL2000, XL2001, XL2005, XL2010, XL2015, XL2021, XL2022, XL2025, XL2027, XL2030, XL2120, XL2121, XL2122, XL2130, XL2230, XL2500, XL2600, XL2610, XL2620, XL300, XL3000, XL3010, XL3022, XL3025, XL3027, XL3030, XL3100, XL3200, XL3500, XL3500T, XL3510, XL4001, XL4010, XL4012, XL4013, XL4014, XL4015, XL4020, XL4030, XL4040, XL4050, XL4060, XL461, XL471, XL50, XL5000, XL5001, XL5010, XL5011, XL5020, XL5021, XL5030, XL5031, XL5100, XL5130, XL5132, XL5200, XL5232, XL5300, XL5340, XL5500, XL5600, XL5700, XL6040, XL6050, XL6060, XL622, XL6242, XL6452, XL6462, XL6552, XL6562, XL700, XL711, XL771, XL781, XL791, XL795, XL851, XR16, XR21, XR23, XR27, XR29, XR30, XR31, XR32, XR33, XR34, XR35, XR37, XR40, XR46, XR46C, XR52, XR52C, XR65, XR65T, XRX55, Galaxie 221, Super Galaxie 2000, Super Galaxie 2100, Super Galaxie 3000, Quattro 3, JX2517, NV1e, VQ2, Super Ace II, Super Ace III, Super Ace Special Edition, Brother Quattro 6000D, Most others

Low

VQ2400 and VQ3000 measure your shank using our shank chart and email for correct foot fit. Usually, High Shank.

Brother PC6500, PC8200, PC8500, ULT2001, ULT2002, ULT2003D – Use Babylock/Brother shank adapter #XA6027001 (Sewingpartsonline.com part number) – **Low with adapter**

Brother PQ1300, PQ1500 – **High Shank CRF Foot – Available the end of November, pre-orders are being taken**

Brother Dream Weaver XE-VM6200D – **High Shank** no adapter needed.

Brother Designio DZ1500F – **High Shank ss**

Brother Dream Machine XV8500 – Use Babylock/Brother shank adapter #XA6023001 (Sewingpartsonline.com part number) **Use High Shank foot with the shank adapter.**

Capital 777 **Low**

Consew 18, 118, & 130 **Low**

Domestic 1630, 264R, 268, 955, 4400, 5438, Most others **Low**

Dressmaker

205, 300Z, 380, 423, 5100, 5102FA, 6102FA, 6800, 6950, 6960, 7000, 8000, 9500, E199, FA590590, K100, S9000, S2400, S3000, SS2402, SWA2000, SWA380, SWA2000, SWA8000 **Low**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Elna--2002, 2004, 2006, 2110, 2130, 3003, 3005, 3007, 3008, 410, 450, 5000, 6000, 6003, 6004, 6005, 7000, 8000, 8006, 8007, Lotus & Super, Most others **Low**

EnVision 9006 **High**

Elnita 25, 200, 220, 225, 244, 245, 250 & 255, Most others **Low**

EuroPro Shark 1260, 1260DX, 375, 385, 415, 420, 425, 6130, 7100, 7130, 7133, 7500, 7535, 7545, 8260, 9000, 9020, 9025, 9101, 9110, 9120, 9130 **Low**

Good Housekeeper Most **Low**

Hobbymatic Most **Low**

Homemaker Most **Low**

Husqvarna Mega Quilter **High Shank MGQ Foot – Available the end of November, pre-orders are being taken.**

Husqvarna Designer Series machines – **See the Viking listing section for Epic, Sapphires, Rubies, Diamonds and the Opal 670 for set-up.**

Husqvarna/Viking Sapphire 960 – **Low Note: See Viking listing for additional information on set-up for Sapphires, Rubies, Topazes, Diamonds, Epic and Opal 690**

Husqvarna Diamond Royale – **Low (needle position adjustment from 0.0 to 0.5mm – Auto Fabric Thickness Sensor will be enabled when setting this machine to “free-motion” setting.**

Jaguar 181, J380, J383, J386, J413, J415 **Low**

JCPenney 1405, 1510, 1515, 1710, 4896, 6006, 6105, 6107, 6560, 6600, 6903, 6948A, 7015A & 7029 **Low**

Juki DDL-227, DDL-555, DDL-8700, TL-98E, TL-98P, TL-98QE, – **Use High Shank Straight Stitch foot**

Juki – TL-2000 Qi – TL-2010Qi - High Shank CRF Foot – **Available the end of November, pre-orders are being taken.**

Kenmore 8, 10, 12, 15, 16, 50, 52, 65, 70, 90, 150, 372, 385, 700, 892, 1040, 1229, 1239, 1240, 1249, 1251, 1310, 1316, 1318, 1325, 1336, 1341, 1345, 1350, 1351, 1352, 1357, 1400, 1410, 1430, 1503, 1516, 1525, 1551, 1560, 1570, 1650, 1660, 1680, 1720, 1730, 1750, 1752, 1755, 1757, 1760, 1774, 1781, 1774, 1802, 1803, 1937, 1940, 1946, 5154, 5186, 12014, 1216, 12331, 12511, 12621, 12814, 13350, 13360, 13401, 13501, 13502, 13550, 13360, 14502, 15611, 15612, 16951, 17124, 17126, 17822, 17826, 17868, 17881, 19030, 19150, 19601, 1212180, 1233280, 1249280, 1249380, 126120, 1340281, 1345380, 1718180, 1764180, 1789180, 1960180, 12714090, 135021310, 116.8391, 148.12190, 148.13110, 148.14220, 148.15210, 148.15600, 148.15700, 148.19370, 148.19372 & 148.231, 158.1010180, 158.1010181, 158.10200, 158.10300, 158.10301, 158.10302, 158.10304, 158.10400, 158.10401, 158.10402, 158.10450, 158.10500, 158.10501, 158.10600, 158.1110, 158.1110180, 158.1110181, 158.121, 158.12110, 158.12112, 158.1212180, 158.12250, 158.12260, 158.12270,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

158.12271, 158.12272, 158.12290, 158.12291, 158.12292, 158.12310, 158.12312, 158.12313, 158.12370, 158.12390, 158.12391, 158.12392, 158.12410, 158.12411, 158.12412, 158.12470, 158.12471, 158.12472, 158.12510, 158.12511, 158.12512, 158.12520, 158.1255180, 158.1255181, 158.1262180, 158.1262181, 158.1262182, 158.130, 158.13010, 158.13011, 158.13030, 158.13031, 158.13032,

Kenmore Continued:

158.13033, 158.13040, 158.13041, 158.13050, 158.13150, 158.13160, 158.13170, 158.13180, 158.13190, 158.13200, 158.13201, 158.13250, 158.13360, 158.13400, 158.13401, 158.1340180, 158.13402, 158.13410, 158.13411, 158.13412, 158.13413, 158.13414, 158.13450, 158.1345180, 158.1345280, 158.1345380, 158.13470, 158.13471, 158.13500, 158.1350180, 158.1350280, 158.13510, 158.13512, 158.13513, 158.13520, 158.13521, 158.1355080, 158.13571, 158.1357100, 158.13572, 158.13573, 158.13580, 158.1358180, 158.14000, 158.14001, 158.14002, 158.14003, 158.14100, 158.14101, 158.14220, 158.14300, 158.14301, 158.14310, 158.14311, 158.1440180, 158.14501, 158.1450180, 158.1450181, 158.14510, 158.14571,

158.1457180, 158.150, 158.1510, 158.1511, 158.15150, 158.15160, 158.15250, 158.1561180, 158.1561280, 158.1561281, 158.15810, 158.1595180, 158.1595281, 158.16000, 158.16010, 158.16012, 158.16030, 158.161, 158.162, 158.16210, 158.16250, 158.163, 158.16410, 158.16411, 158.16412, 158.16490, 158.16500, 158.16510, 158.16520, 158.16530, 158.16540, 158.16600, 158.16800, 158.16801, 158.16820, 158.16900, 158.17000, 158.17001, 158.17010, 158.17011, 158.17012, 158.17030, 158.17031, 158.17032, 158.17200, 158.17300, 158.17310, 158.17490, 158.17500, 158.17501, 158.17510, 158.17511, 158.17520, 158.17530, 158.17540, 158.17550, 158.17560, 158.17570, 158.17571, 158.17572, 158.1765180, 158.17740, 158.17741, 158.17800, 158.17810, 158.17811, 158.17812, 158.17820, 158.17821, 158.1783080, 158.1784080, 158.1784181, 158.1784182, 158.1784183, 158.1784184, 158.17850, 158.17851,

158.1786080, 158.1786081, 158.1787180, 158.1789180, 158.1789181, 158.1789280, 158.17910, 158.17911, 158.1792080, 158.1792181, 158.1792182, 158.1792183, 158.1792184, 158.1792280, 158.1801, 158.18010, 158.18020, 158.18021, 158.18022, 158.18023, 158.18024, 158.18030, 158.18031, 158.18032, 158.18033, 158.18130, 158.18131, 158.18140, 158.18141, 158.18150, 158.1884180, 158.19130, 158.19131, 158.19140, 158.19141, 158.19142, 158.19310, 158.19311, 158.19312, 158.19410, 158.19411, 158.19412, 158.19460, 158.19461, 158.19470, 158.19471, 158.19800, 158.19801, 158.19802, 158.220, 158.221, 158.320, 158.321,

158.330, 158.331, 158.350, 158.351, 158.352, 158.353, 158.370, 158.371, 158.372, 158.373, 158.4180, 158.430, 158.431, 158.432, 158.433, 158.440, 158.441, 158.442, 158.443, 158.445, 158.460, 158.461, 158.462, 158.463, 158.470, 158.471, 158.472, 158.473, 158.480, 158.481, 158.500, 158.501, 158.502, 158.503, 158.504, 158.505, 158.520, 158.523, 158.540, 158.541, 158.542, 158.620, 158.650, 158.680, 158.6850, 158.750,

158.842, 158.850(85), 158.900, 158.901, 158.902, 158.903, 158.904, 158.905, 158.920, 158.921, 158.922, 158.923, 158.924, 158.950, 158.960, 159.5281, 185.188140, 384.13012000, 384.18024000, 385.12490, 385.1249280, 385.10111, 385.11541, 385.11551, 385.11581, 385.11607, 385.11608, 385.11682, 385.1168291, 385.12014, 385.121166190, 385.12216790, 385.12320, 385.12321, 385.12331, 385.12332, 385.12490, 385.12491, 385.12492, 385.1249280, 385.12493, 385.12541, 385.1254180, 385.12581, 385.12612, 385.12612090, 385.12614490, 385.12618890, 385.12641, 385.1264180, 385.12712, 385.1271209, 385.12714, 385.12741, 385.12781, 385.1278180, 385.12814, 385.12841, 385.15108200, 385.15516, 385.1584180, 385.16524, 385.16528, 385.16530000, 385.1684180, 385.16951, 385.1695180, 385.17026, 385.17026590,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

385.17124790, 385.17526, 385.17622, 385.17622090, 385.17624, 385.17628, 385.1764180, 385.17724, 385.17781, 385.17822490, 385.17824090, 385.17826, 385.178284, 385.17881, 385.17881, 385.17928, 385.1792890, 385.1823079, 385.18330990, 385.18830, 385.18836, 385.1884180, 385.19030790, 385.19150, 385.19150090, most others use **LOW**

Kenmore Continued:

385.19153, 385.19153690, 385.19365, 385.1950180, 385.1960180 & 385.81527 **Low, but please double check these with our shank chart on the ruler foot page. Some models may need a Medium foot.**

1914 **High**

179, 1400, 1625, 1690, 1703, 1780, 1803, 1813, 1814, 1917, 1940, 1941, 1974, 16410, 17600, 17921, 17840, 17841, 17860, 17871, 17891, 17911, 17922, 17921, 156.1281, 158.1350, 158.16520, 158.17032, 158.16900, 158.17810, 158.19140, 158.19141, 158.19411, 158.19412, 158.16030, 158.17033, 158.17841, 158.18800, 158.19471 **Super High Needs Kenmore Presser Foot Adapter #P60666 – use Low foot with the adaptor.**

Montgomery Ward UHTJ1859, UHTJ1944 & UHTJ240A, Most others **Low**

Morse 4300, 4500 & 9500, Most others **Low**

Necchi Lydia MK A2, Lydia 3, Mira BU, 108, 503FA, 522, 523, 525, 531EA, 534FB, 535A, 535FA, 535EA, 535RA, 536B, 536FA, 536FB, 537FA, 537L, 539, 540, 543, 547, 549, 574FB, 575FA, 887FA, 1950, 3101F, 3101FA, 3354, 3355, 3577, 4575, XL6000, 6150, EX100, EX30, EX60, NE30, QS60 **Low**

Lydia MKA, Super Nova, 515, 542, 544, 1950, 1958 **High**

Nelco 10425, 234F, 4002, 4102F, 5102A, 6030, 7057, JA38, L605, N250, SZA232, SZA800L & Xonic 2000 **Low**

R series-- **High**

New Home/ Janome 106, 108,128, 704, 900, 911, 920, 921, 6000, 7000, 7500, SL2022, SS2015, SX2122, SW2018F, L-372, L-373, L-352; Memory Crafts 109, 1506, 155, 1818, 1822, 2014, 23X, 2400, 3000, 3022, 345, 352, 373, 392, 4014, 4018, 4023, 4119, 4123, 434, 446, 447, 470, 4800, 5001, 5024, 533, 535, 5500, 552, 556, 560, 562, 573, 586, 591, 593, 6000, 640, 654, 662, 671, 672, 674, 676, 679, 692, 7000, 701, 702, 704, 799, 844, 911, 920, 921; 1860, CE2000, HF106, HF107, HF2022, J1502, JA1508, JA518, LC99, LR1622, LR23L, MX3123, SL2022, SR2100, SS2015, SW2018E, SX2122, XL23L, XLII, XLS, 1117S, 128, 1860, 2003P, 2018S, 2030DC, 2039SN, 2040, 2041LX, 2041NX, 2041S, 2041SX, 2049LX, 2049NX, 2118S, 2139N, 2139S, 2141S, 2149SX, 2160QDC, 2206, 2212, 2222, 222A, 3128, 3160QDC, 360, 380, 381, 4045LX, 4045NX, 4048, 405, 41012, 4119(Quilter's delight), 4120QDC, 415, 419S, 423S, 4612TM, 4618LE, 4623LE, 49018, 49360, 509, 521, 525S, 530, 531, 5812, 6019QC, 609, 609NH, 611, 6125QC, 618, 619, 620, 621, 623, 625(old), 625E, 625FA, 626, 6260QC, 630, 631, 632, 639(Jem), 640, 641, 642, 651, 652, 653, 656, 657, 657A, 659, 660 Jem Gold, 661 Jem Gold 2, 661(Old), 661G Jem Gold Plus, 662 Jem Silver, 665 Jem Gold III, 680, 681, 681D, 684, 692, 693, 7061NX, 710, 712T, 7306, 7312, 7318 Magnolia, 7325 Magnolia, 7330 Magnolia, 7360 Magnolia, 763, 791FA, 793, 795FA, 802, 803, 8048 Harmony, 8050, 8077, 808, 8080, 808A, 844, AQS2009, CE2200, Classmate S-750, COMBI 10, DC1018, DC1050, DC2007LE, DC2010, DC2011, DC2012, DC2013, DC2014, DC3018, DC3050, DC4030, DC4030P, DC5100, DE5018,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

DE5024, DE5124, DS3500, DX2015, DX2022, DX2030, DX502, FA772, Harmony 4052LX, Harmony 1017, Harmony 2041, HD1000, HD3000, Hello Kitty 11706, Hello Kitty 13512, Hello Kitty 14412, Hello Kitty 15312, Hello Kitty 15822, Hello Kitty 18750, Hello Kitty Full Size, HF1012, HF106, HF107, HF2022, HF3000, HF3022, HF3125, HF4045LX, HF5024, HF-RE1706, HT2008, HT2008LE, JA104, JA106, JA1502, JA1504, JA1506, JA1508, JA1510, JA1512, JA1518, JA1804, JD1803, JD1806, JD1810, JD1812, JD1814, JD1816, JD1818, JD1822, Jem Lite,

New Home/Janome continued:

JF1004, JF1012, JF1014, JF1018, JF1018S, JF1022, JP720, JP760, JS1003, JS1004, JS1008LE, JW5622, JW7630, L108, L109, L110, L344, L352, L353, L372, L373, L392, L393, LR1612, LR1616, LR1618, LR1622, MC2400, MC3000, MC3500, MC4000, MC4400, MC4800, MC4800QC, MC4900QC, MC5001, MC5002, MC5200, MC5500, MC6000, MC6300P, MC6500P, MC7000, MC7500, ME4014, ME4018, ME4123, ML3023, MO200, MOD-100, MOD-15, MOD-19, MOD-30, MS-3015, MS-5027, MyStyle100, NH2014, NQM2016 National Quilt Museum, QS2250, RX1818, RX1822, S2015, S-3023, S-650, S-950, Schoolmate S-3015, Schoolmate S-7330, SD2014, Sew Precise, Sewist 500, SL2022, SR2000, SR2100, SS2015, SW2018E, TB12, US2022, XL601 - **Low-Use our measuring chart on the ruler foot page to determine shank size of your machine if it is not listed above.**

MC10000 – Medium

532, 534, 545, 552, 656A, 1534, 8000, 9000, MC11000 Special Edition, MC11000, MC10001, MC12000, MC9500, MC9700, MC5000, MC5700, MC8000, MC8100HF, MC9000, MC6600P, MC7700 Horizon, MC7700QCP, MOD-15, MOD-19, MC9400QCP **High**

Janome 1600P, 1600P-DB, 1600-QC **High Shank CRF Foot – Available the end of November, pre-orders are being taken**

Janome MC8900QCP – **High Shank**

Janome 9900 – **Our foot will not fit on the shank of this machine.**

Omega 2002 & 3100 **Low**

Penncrest 2601 **Low**

Pfaff 1000, 1019, 1020, 1025, 1027, 1030, 1035, 1040, 1047, 1050, 1067, 1069, 1071, 1100, 1132, 1142, 1150, 1151, 1171, 130, 1300, 1371p, 139, 1410, 1411, 1418, 1422, 1445, 1446, 1455, 1465, 1467, 1469, 1471, 1472, 1473, 1475 CD, 1478, 1520, 1522, 1524, 1525, 1527, 1530, 1532, 1534, 1536, 1540, 1542, 1546, 2010, 2020, 2022, 2024, 2025, 2026, 2027, 2030, 2032, 2034, 2036, 2040, 2042, 2044, 2046, 2054, 2056, 2124, 2140, 2144, 2274, 230, 296, 350, 382, 422, 4240, 4250, 4260, 6000, 6085, 6091, 6112, 6120, 6122, 6150, 6230, 6232, 6250, 6252, 7510, 7530, 7550, 7560, 7562, 7570, 800, 801, 802, 803, 806, 807, 808, 809, 874, 875, 876, 900, 904, 905, 907, 917, 919, 927, 933, 939, 946, 947, 953, 955, Hobby 382, Passport 2.0, Most Others **Low**

**** Most of the Pfaff machines noted below have a sensomatic free motion option. Please refer to your manual on how to set up your machine for free-motion quilting. Needle adjustment may be necessary. All set-up changes can be found in your Menu settings.**

Pfaff Creative 4.0, 4.5, 3.0, 2.0 – **Medium Shank**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Pfaff Quilt Expression 4.0, 4.2 – **Medium Shank**

Pfaff Creative Sensation – **Medium Shank**

Pfaff Creative Sensation Pro – **Medium Shank**

Pfaff Creative Performance – **Medium Shank**

Pfaff Creative Vision – **Medium shank** – **needle position needs to adjust from 0.0mm to +1mm for centering.**

Pfaff Performance 5.0 – **Medium Shank** (Disengage your IDT, turn automatic presser foot off, in free motion pick sensormatic free motion, the needle position will need to adjust 3-4 positions)

Pfaff Expression 150, 2.0, 3.0, 3.2, 3.5 – **Our foot will not fit these machines, they do not have a sensormatic system.**

1200 series-- **High**

Pfaff 1200 Grand Quilter – **High Shank MGQ Foot** – **Available end of November, pre-orders are being taken.**

Phoenix Automatic Most **Low**

Riccar 1010, 1900, 1925, 1934, 200, 2600, 2800, 2900, 2910, 2925, 2950, 300, 315FA, 315SU, 3300, 333, 3400, 3500, 3600, 368, 4001, 4003, 404, 410, 414, 469FA, 500, 505, 510, 515, 525, 550, 551, 555FA, 555SU, 570, 571,

Riccar continued:

580E, 581, 5900, 591, 600, 6000, 600FA, 601, 606, 608, 610, 650, 666FA, 666SU, 695, 6950, 705, 706, 707, 7500, 7610, 777, 805, 806, 807, 808E, 8400, 8500, 888, 900, 906E, 9150, 916, 9160, 925, 950, 9600, 9700, 9800, 9900, BL2000, R104, R1100, R1500, R1570, R1570FB, R1800, R1850, R1926, R1950, R2050, R250, R3100, R3200, R552, R650, R651, R700, R709, R750, R751, R7620, R916, RE571, RE581, RE591, RE640, REC5900, REC6000, RM540, RM570, RS76, RS77, RS78, RS98, RZ206B, RZ208B & RZ210B, Most others **Low**

Sierra 234F **Low**

Simplicity 1325, 1500, 4700, 8200, S110, SL1000, SL1150, SL1200, SL1220, SL1250, SL1270, SL1400, SL1650, SL200, SL232, SL237, SL2507, SL415, SL6150, SL6220, SL630, SL640, SL6950, SL8020, SL8130, SL8220, SL898, SL9130, SL9150, SL9240, SW240 **Low**

Singer Many 200-class, many 300-class, 413, 416, 418, 419, 457, 466, 477, 478, 513, 533, 534, 535, 538, 543, 560, 770, 1021, 1022, 1025, 1027, 1105, 1108, 1116, 1120, 1130, 1200-1, 1247N, 1260, 1263N, 1280, 127, 127-12, 127-3, 128, 1280N, 1288N, 132Q, 13400, 15-30, 15-86, 15-87, 15-88, 15-90, 15-91, 15-96, 15-97, 1500, 1525, 1802, 1803, 1812, 1852, 1862, 1872, 1873, 201-2, 202, 2020, 203, 204, 205, 206, 206K, 207, 208, 209,

210, 2102, 2105, 2106, 2108, 211, 2110, 2112, 2114, 2118, 212, 213, 214, 215, 216, 217, 218, 219, 220, 2202, 221, 2210, 222, 223, 224, 227, 2302, 2303, 2304, 2315, 2330, 237, 237m3, 239, 240, 2404, 242, 2430, 244, 2440, 247, 247AP, 248, 250, 2503, 2504, 2515, 2517, 252, 2530, 254, 2543, 257, 258, 259, 2600, 2601, 2602, 2603, 2604, 2605, 2615, 2616, 2623, 2628, 263, 2630, 2638, 2643, 2662, 27, 2732, 288, 293B, 3002, 3003, 3004, 3005, 3012, 3013, 3014 Merritt, 3015, 302, 30215,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Singer Continued:

305, 30518, 306K, 306K25, 306W, 3102, 3103, 3115, 3130, 3133, 3140, 3145, 320, 3207, 3214, 322, 324, 3270, 327K, 328K, 329K, 330, 3302, 3305, 3311, 3314, 3317, 331K1, 3343, 337, 338, 340, 342, 345, 347K, 348K, 350, 353, 354, 360, 362, 367, 3800, 3810, 3820, 3825, 384, 384.13012000, 384.18024000, 4005, 4006, 4009, 4012, 4015, 4016, 4019, 4022, 413K, 413K13, 416K, 418K, 4302, 4305, 4314, 4325, 438K, 4514, 4517, 4522, 4525, 4526, 4528, 4530, 4538, 457K, 4611, 466K, 476K, 477K, 478K, 4814, 4823, 4830

4830NWC, 4832, 484, 490, 495, 5017, 502, 5028, 5040, 5050, 507, 509, 5102, 5107, 5122, 5123, 5124, 5127, 513 Stylist, 5130, 514, 5140, 5144, 5147, 5160, 5170, 518, 5180, 521, 522, 5255, 527, 533, 534, 535, 538, 5405, 543, 5502, 5508, 5522, 5525, 5528, 5530, 560J, 5705, 5710, 5735, 57817C, 57820, 57825C, 5800, 5802, 5805, 5806, 5808, 5810, 5817C, 5818, 5823, 5825, 5828, 5830, 5838, 6000-class, 6010, 6011, 6012, 6021, 6038, 6100, 6104, 6105, 6106, 610U, 6110, 6136, 6201, 6202, 6211, 6212, 6215, 6217, 6221, 6252, 6305, 6408, 6412, 6416, 6423, 6510, 6544, 6548, 66, 66-1, 66-14, 66-16, 66-18, 66-24, 6620, 7011, 7015, 7021, 7025C, 7100, 7105, 7106, 7108, 7110, 7174, 7184, 7300, 7400, 7422, 7424, 7426, 7436, 7440, 7442, 7444, 7446, 7460, 7462, 7464, 7466, 8002, 8007, 8010, 8014, 8019, 8034, 807, 814, 8200, 8220, 8222, 8234, 827, 831, 832, 833, 834, 842, 843, 8500, 8508, 860, 8600, 8734, 875, 876, 8774, 8784, 9000, 9002, 9012, 9014, 9612, 9618, 972, 99-31, 99K, CE-100, CE-200, CM17C, DL17C, DSX, FM14C, FM17, FM22C, 100, Futura 200, Izek 1500 & SM14C, 13400 **Low**

Vintage Singer Machines: If your vintage Singer uses generic low shank feet – **Low**

Singer models that are “slant” shank: **“Fine Line” Clarity will not fit on slant shanks**, but we will be exploring the slant shank machines in 2017.

290C, 301, 400, 401, 401A, 403, 409, 417, 500, 500A, 501, 503, 503A, 600-class, 900-class, 1000-class, 1200-class, 1411, 1425, 2000-class, 2001, 2005, 2010, 7000, 750/691, 900 series, 4600 series, 700-class, 4572, 6200 series (many variations of shank but usually slant), 9117, 9134, and most Slant-o-matics, Touch-n-Sews, TouchTronics, & Athenas

Sonata XL, C-XL, 560, 6600, 6602, 6606, 6610, 6621, 6680C **Low**

Sterling Automatic Most **Low**

Universal KTB **Low**

Viking 100, 600, 1000, or #1 series has special Viking shank. : **“Fine Line” Clarity will not fit on this special Viking shank.**

140, 160, 1919, 200, 300, 400, 500, 550, 6000-series, 6000, 6020, 6170, 6230, 6270, 6360, 6370, 6430, 6440, 6460, 6680, 6690 & 8910 **Low**

Viking Opal 670 – **“Fine Line” Clarity foot does not fit this machine. This model does not have the Exclusive Sensor System for free-motion quilting.**

Viking Rubies, Epic, Diamonds, Topazes, Sapphires and the Opal 690 – **Low** shank. **Note: These machines have the Exclusive Sensor System for fabric height, ensure your machine is set for free motion with the**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

sensor system on. You will need to adjust your needle position to center the needle. You will need to turn the Pivot mode off and put your machine into “free-float” mode.

900-series Slant – **“Fine Line” Clarity will not fit on slant shank machines.**

Vigorelli Most **Low**

White 1088, 1405, 1409, 1410, 1418, 1455, 1505, 1510, 1521, 1545, 1620, 1632, 1710, 1730, 1735, 1740, 1755, 1766, 1780, 1788, 1805, 1810, 1866, 1888, 1919, 1957, 1975, 1999, 2037, 2235, 2999, 310, 320, 330, 3300, 3955, 4040, 4042, 4060, 4075, 505, 609, 611, 614, 619, 622, 625, 639, 641, 644, 651, 655, 742, 761, 764, 915, 955, 972, 979, W750 **Low**

White 628, 844, 1099, 1315, 2836 **High**

Wizard Most **Low**

Yamata FS7500, FS8110, FS8120, FY200, FY750, FY812, FY900, FY930 & FY940 **Low**