

Full Barrier Install document for 5th gen Toyota 4Runner.

1. Tools required. Drill bit (5/32") and phillips bit. Optional panel release tool for plastic lip and snaps. Slide the rear seats forward to allow room to work. It is easiest to install from the back of the truck.
2. Grasp the C-pillar upper trim panel pulling down from ceiling towards center of Jeep. Pulling the back door weather stripping will allow you to get a good edge to wiggle and pop it loose.



Using the small pilot hole drill bit drill the footman mount hole just above the factory small hole shown here just next to the window opening. Mark and drill the rear hole.



3. Carefully position the D-ring strap and complete mounting the footman and D-ring assembly as shown here on the passenger side.



Loop the D-ring strap up and over the plastic panel leg at the top of the trim piece. Line up the plastic panel snaps and press and pop into place leaving the ring exposed.



Repeat for the other side and loosely install the net (RAINGLER label side up).

Lift up the cover on the lower seat belt mount and wrap the lowest strap just under the cover and back to the buckle. Only feed about an inch of strap through the cam buckle on each side for now. Further tensioning can be done later if desired once back seat in into position.



4. Tighten up with seats down the top two and lower straps and then line up the lower center block off straps and simply mount two footman's to the plastic panels (these are not structural mounts, just a side to side tension and block off strap).





5. Mount the upper center block off straps mid panel on the sides with another pair of footman mounts. Do not pull taut until the seat backs are raised and the seat is in final position. These are just a block off to keep dog's from sneaking through. Do not pull too tight!



6. Once net is fully in place with all eight straps touch excess into buckle and wrap around and tick in to give product a clean finished look.



7. Here is what your 4Runner should look like now, use seats up or down.



8. Easy to drop the top down out of the way if not needed or completely remove and stowaway in storage area. Please use common sense and do not leave pets unattended in a vehicle. We recommend and use spray on dog deterrent on the net while training.

Tech line 866.905.7625