



oven | cooktop | rangehood | dishwasher | refrigeration | wine cellar | sinkware | tapware | accessory

elfa




european style at its best

built in ovens

BLFF52

model features

- 60cm Stainless steel oven
- 5 Functions / fan forced
- 120 Minute mechanical timer
- Anti-fingerprint stainless steel
- Cavity cooling / internal light
- Triple glazed door / cool door technology
- Removable door & inner door glass
- 56 Litre capacity
- Class A energy rating
- Total connected power 2.2kw / 10Amp



BLFF52E

model features

- 60cm Stainless steel oven
- Multifunction / fan forced
- Fully programmable with LED display
- Anti-fingerprint stainless steel
- Cavity cooling / internal light
- Triple glazed door / cool door technology
- Removable door & inner door glass
- 56 Litre capacity
- Class A energy rating
- Total connected power 2.2kw / 10Amp



BLFF85E

model features


- 60cm Stainless steel oven
- Multifunction / fan forced
- Fully programmable with LED display
- Anti-fingerprint stainless steel
- Cavity cooling / internal light
- Triple glazed door / cool door technology
- Removable door & inner door glass
- 56 Litre capacity
- Class A energy rating
- Total connected power 3.1kw / 20Amp hard wire



BLPY60E

model features


- 60cm Pyrolytic stainless steel oven
- Fully programmable with LED display
- Pyrolytic self clean mode
- Anti-fingerprint stainless steel
- Cavity cooling / internal light
- Quad glazed door / cool door technology
- Removable door & inner door glass
- 56.5 Litre capacity
- Class A energy rating
- 25Amp Hard wire



BLDF99

model features

- 90cm Stainless steel inbuilt oven
- Upper and bottom elements
- Fan force and fan assistant
- Upper and bottom element
- Grill and Rotisserie
- Rotisserie and upper full grill
- Fan grill and Defrost
- Cavity Cooling System
- Dual Glazed Door
- Total connected power 3.4kw / 20Amp hard wire



freestanding and microwave ovens

BLUC90SS

model features

- 90cm Upright stainless cooker
- Italian made upright cooker
- Fingerprint Proof Stainless Steel
- 5 gas burner with central wok and cast iron pan support
- Multifunction electric oven with 6 programs
- Tangential cooling fan
- Electronic cooking end timer with display
- Electric grill, fan force
- Net oven volume 105 litre



Light



Fan assisted lower element



Defrost



Full grill



Natural convection



Half grill



Fan forced



Fan assisted full grill



BLCDF60WH

- 60cm Dual fuel upright cooker
- 4 Function conventional cooking
- Grill function included
- 4 Gas burners with enamel trivets
- Push button ignition on front panel
- Thermostat control
- Oven light
- Sliding rack and grill tray
- Adjustable height legs



BLCDF60SS

- 60cm Dual fuel upright cooker
- 4 Function conventional cooking
- Grill function included
- 4 Gas burners with enamel trivets
- Push button ignition on front panel
- Thermostat control / Oven light
- Sliding rack and grill tray
- Adjustable height legs



BLCEL50WH

- 50cm Electric upright cooker
- 4 Function conventional cooking
- Grill function included
- 4 Electric solid hotplates
- 2 x 1500 / 2 x 1000 Watt elements
- Thermostat control
- Oven light
- Sliding rack and grill tray
- Adjustable height legs



BLCEL60WH

- 60cm Electric upright cooker
- 4 Function conventional cooking
- Grill function included
- 4 Electric solid hotplates
- 2 x 1500 / 2 x 1000 Watt elements
- Thermostat control
- Oven light
- Sliding rack and grill tray
- Adjustable height legs



MV23ESP

- Multi function 23 litre microwave oven
- 5 Power levels
- 8 Auto cooking menus
- Speedy cook function
- LED display
- Easy-tronic digital control
- 800 Watt output power
- Child safety lock
- 270mm Diameter turntable
- Size W485 x D395 x H287mm



MV25GSS

- Multi function 25 litre stainless steel microwave
- 8 Power levels (5 microwave, 1 grill and 2 combinations)
- 1000 Watt grill power
- 8 Auto cooking menus
- LED display / Digital control
- Stainless steel interior/exterior
- Child safety lock
- 315mm Diameter turntable
- Size W513 x D430 x H305mm



MVI28GSS

- Multi function 28 litre stainless steel inbuilt microwave oven and grill - 900W output power
- 8 Power levels including 5 microwave, 1 grill and 2 combinations - 1000W grill power
- 8 Auto cooking menus, LED display / Easy-tronic digital control
- Defrost setting by time and weight
- Full stainless steel interior and exterior
- Child safety lock
- Inbuilt trim kit included
- 315mm Diameter turntable
- Size W513 x D430 x H305mm
- Size W595 x D460 x H486mm with Trim Kit



gas and electric cooktops

EH302

- 30cm Stainless steel electric solid hot plates
- Front controls
- Single piece easy clean hob
- 1 x 2.0kw hot plate
- 1 x 1.50kw hot plate



EH614

- 60cm Stainless steel electric solid hot plates
- Side controls
- Single piece easy clean hob
- 2 x 2.0kw hot plates
- 2 x 1.50kw hot plates



BLGSW30CF

- 30cm 2 Burner stainless steel gas cooktop
- Front controls
- Cast iron trivets
- Flame failure device
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGS60E

- 60cm 4 Burner stainless steel gas cooktop
- Side controls
- Enamel trivets
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGS60C

- 60cm 4 Burner stainless steel gas cooktop
- Side controls
- Cast iron trivets
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGSW60C

- 60cm 4 Burner stainless steel gas cooktop
- Wok burner
- Side controls
- Cast iron trivets
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGSW704CF

- 70cm 4 Burner stainless steel gas cooktop
- Wok burner
- Front controls
- Cast iron trivets
- Flame failure device
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGSW705CF

- 70cm 5 Burner stainless steel gas cooktop
- Wok burner
- Front controls
- Cast iron trivets
- Flame failure device
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



BLGSW905CF


- 90cm 5 Burner stainless steel gas cooktop
- Wok burner
- Front controls
- Cast iron trivets
- Flame failure device
- One touch electronic ignition
- Single piece easy clean hob
- Natural Gas & LPG



ceramic and induction cooktops


CRKL607

- **60cm Inbuilt Ceran cooktop**
- Side knob controls
- 2 x 1200W zones
- 2 x 1800W zones
- Total 6000W power
- 9 Power levels
- German glass plate
- Total connected power: 6000W




CRSL606

- **60cm Ceramic glass cooktop**
- Side sensor touch controls
- 2 x 1800W zones
- 2 x 1200W zones
- 9 Heat settings & 99 minute timer
- German plate glass
- Residual heat indicator
- Auto safety switch off
- Overheating protection and child safety lock
- Total connected power: 6000W



CRSF745

- **70cm Inbuilt Ceran cooktop**
- Front sensor touch controls
- 1 x 140mm 1000w /220mm 2200w dual zone
- 2 x 165mm 1200W zones
- 1 x 200mm 1800W zone
- 9 Power levels
- German glass plate / residual heat indicator
- Child safety lock / overheating protection
- Same cut out as 60cm model (560 x 490)
- Total connected power: 6400W



IDSF608

- **60cm Induction cooktop**
- Front sensor touch controls
- 2 x 180mm 1500W zones
- 1 x 180mm 2000W zone (front left)
- 1 x 210mm 2000W zones
- Power boost to each zone
- German glass plate / residual heat indicator
- 9 Heat settings / 99 minute timer
- Child safety lock / overheating protection
- Total connected power: 8200W



The complete kitchen solution, incredibly stylish european designed cooking appliances at the most affordable prices. You can rest assured that your Euroart kitchen will give you years of outstanding performance and rewarding cooking.



rangehoods

SL601

- 60cm Slide out rangehood
- Stainless steel fascia
- Twin motor
- 2 Speed fan
- Dual incandescent lights
- Aluminum grease filters
- 120mm Outlet



F0960S1D2

- 60cm Slide out rangehood
- Stainless steel fascia
- Front recirculation
- 120 Watt motor
- Max 630m³/hr air flow
- 3 Speed fan
- 2 LED lights
- Aluminum grease filters
- 150mm Outlet



F0990S1D2

- 90cm Slide out rangehood
- Stainless steel fascia
- Front recirculation
- 120 Watt motor
- Max 630m³/hr air flow
- 3 Speed fan
- 2 LED lights
- Aluminum grease filters
- 150mm Outlet



RH605P/B

- 60cm Stainless steel wall mounted canopy
- 3 Speed push buttons
- Dual halogen lights
- Max 840m³/hr air movement
- Aluminum grease filters
- 150mm Outlet



RH905P

- 90cm Stainless steel wall mounted canopy
- 3 Speed push buttons
- Dual halogen lights
- Max 840m³/hr air movement
- Aluminum grease filters
- 150mm Outlet



RH906E/A

- 90cm Glass and stainless steel canopy
- Tempered safety glass
- 3 Speed soft touch electronic controls
- Dual halogen lights
- Max 840m³/hr air movement
- Aluminum grease filters
- 150mm Outlet



RH955E

- 90cm Stainless steel canopy
- 3 Speed soft touch electronic controls
- Dual halogen lights
- Max 840m³/hr air movement
- Aluminum grease filters
- 150mm Outlet



RH915E

- 90cm Glass and stainless steel wall mounted canopy
- Tempered safety glass
- 3 Speed soft touch electronic controls
- Dual halogen lights
- Max 840m³/hour air movement
- Aluminum grease filters
- 150mm Outlet



Rangehood accessories

- GSB600** 600mm Glass splash back
- GSB900** 900mm Glass splash back
- SSB600** 600mm Stainless steel splash back
- SSB900** 900mm Stainless steel splash back
- RH905EXT** 660mm Extra long Stainless steel flue extension for RH605P/B & RH905P models
- RH906EXT** 660mm Extra long Stainless steel flue extension for RH915E & RH906E/A models
- RH955EXT** 660mm Extra long Stainless steel flue extension for RH955E
- SL601CF** Carbon Filter to suit SL601 model
- CF160** Carbon Filter to suit RH905P, RH605P/B, RH906E/A, RH955E & RH915E models



dishwashers

DS4500A

- **45cm Freestanding electronic control dishwasher**
- Stainless steel flat door
- 5 Wash programs and 8 place settings
- Half load function and Super quiet operation
- Height adjustable upper basket
- Concealed heating element
- 1.5 Star water rating
- 1.5 Star energy rating
- 13 Litres water consumption per cycle



DS8000-1A

- **60cm Freestanding electronic control dishwasher**
- Stainless steel flat door
- 5 Wash programs and 12 place settings
- Height adjustable upper basket
- Super quiet operation
- Concealed heating element
- 4 Star water rating
- 2.5 Star energy rating
- 12 Litres water consumption per cycle



DS8000W-1A

- **60cm Freestanding electronic control dishwasher**
- White finish flat door
- 5 Wash programs and 12 place settings
- Height adjustable upper basket
- Super quiet operation
- Concealed heating element
- 4 Star water rating
- 2.5 Star energy rating
- 12 Litres water consumption per cycle



DS9568

- **60cm Fully integrated dishwasher**
- Full electronic control with LED display
- Stainless steel flat door
- 7 Wash programs and 12 place settings
- Half load function
- Height adjustable upper basket
- Delay start and concealed heating element
- Over flow protection and super quiet
- 2.5 Star water rating and energy rating
- 14 Litres water consumption per cycle



European style at its best - style and functionality



overmount sinkware

DH452SF

- Double bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L1500 x W500 x D180mm



NH339CF

- Single bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L780 x W480 x D180mm



NH359CF

- Double bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L1180 x W480 x D180mm



NH381CF

- Double bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L1180 x W480 x D180mm



NH357CF

- Double bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L1080 x W480 x D180mm



YH216C

- Single bowl laundry trough
- 0.8mm 18/10 304 Grade stainless steel
- Size L630 x W470 x D200mm



NH365CF

- Double bowl sink
- 0.8mm 18/10 304 Grade stainless steel
- Size L980 x W480 x D180mm



RH219C

- Single bowl laundry trough
- 0.8mm 18/10 304 Grade stainless steel
- Size Diameter 430 x D170mm



Accessories



- F56001C**
– 40mm Ceramic cartridge mixer



- FE07**
– Pull out spray mixer
– 40mm Ceramic cartridge



- Stainless Steel Square Tray**



- Hardwood Chopping Board**



- Half Bowl Colander**



undermount sinkware

F4545

- 45cm single bowl undermount sink
- 1.2mm 18/10 304 Grade stainless steel
- Size L450 x W450 x D200mm



F5545

- 55cm single bowl undermount sink
- 1.2mm 18/10 304 Grade stainless steel
- Size L550 x W450 x D200mm



F7345

- 73cm one & half bowl undermount sink
- 1.2mm 18/10 304 Grade stainless steel
- Size L730 x W450 x D200mm



F8745

- 87cm Double bowl undermount sink
- 1.2mm 18/10 304 Grade stainless steel
- Size L870 x W450 x D200mm



CT series tapware

All taps feature:

- Chrome plated
- Ceramic cartridge
- Solid DR brass construction
- WELS / Water Mark Approved
- 2 Years warranty



CT2401
Basin set



CT2403
Bath set



CT2404
Shower set



CT2409
Washing machine set

Round series tapware

All taps feature:

- Chrome plated
- Ceramic cartridge
- Solid DR brass construction
- WELS / Water Mark Approved
- 2 Years warranty



GM16076C
Basin mixer



FM16A73C
Basin/sink mixer



PM56018C
Sink mixer



HD520
Shower mixer

Square series tapware

All taps feature:

- Chrome plated
- Ceramic cartridge
- Solid DR brass construction
- WELS / Water Mark Approved
- 2 Years warranty



QM16097C
Basin mixer



QM16A97C
Basin mixer



QM56097C
Sink Mixer



HD505
Shower mixer



refrigerators and freezers

BFR-48

- **48 Litre Bar Fridge**
- Internal ice box
- Mechanical temperature control
- Reversible door
- R600A Refrigerant (environment friendly)
- 440 x 470 x 500mm (WxDxH)



BFR-115

- **115 Litre Bar Fridge**
- Top chiller compartment
- Mechanical temperature control
- Reversible door
- R600A Refrigerant (environment friendly)
- Dimensions 500 x 560 x 840mm (WxDxH)



BFZ-85

- **85 Litre Bar Freezer**
- 4 slide out compartments
- Mechanical temperature control
- Reversible door
- R600A Refrigerant (environment friendly)
- Dimensions 500 x 560 x 840mm (WxDxH)

Pidgeon pair with BFR-115



PFZ-175

- **175 Litre Single Door Upright Freezer**
- 6 slide out compartments
- Mechanical temperature control
- Reversible door
- R600A Refrigerant (environment friendly)
- Dimensions 550 x 580 x 1430mm (WxDxH)

Note: image of both PFZ-175 (left) and PFR-245 (right) each sold separately



PFR-245

- **245 Litre Single Door Upright Fridge**
- Mechanical temperature control
- Reversible door
- R600A Refrigerant (environment friendly)
- Dimensions 550 x 580 x 1430mm (WxDxH)

Note: image of both PFR-245 (right) and PFZ-175 (left) each sold separately



RTD-208W

- **208 Litre Fridge**
- Frost free
- Twist ice maker
- Mechanical temperature control
- Reversible door with recessed handle
- Glass shelves
- 208L/198L Gross/Net capacity
- Adjustable feet
- R134a Refrigerant (environment friendly)
- Energy saving and low noise
- Dimensions 545 x 584 x 1477mm (WxDxH)



CFZ-150

- **150 Litre Chest Freezer**
- Freezing capacity: 11kg/24hrs
- Wire basket
- Adjustable feet
- Recessed handle
- Manual defrosting
- Noise level 39dB
- R600A Refrigerant (environment friendly)
- Dimensions 700 x 610 x 850mm (WxDxH)



RTD-330W

- **330 Litre Fridge**
- Frost free
- Twist ice maker
- Mechanical temperature control
- Reversible door with recessed handle
- Glass shelves
- 330L/320L Gross/Net capacity
- Adjustable feet
- R134a Refrigerant (environment friendly)
- Energy saving and low noise
- Dimensions 605 x 680 x 1670mm (WxDxH)



CFZ-200

- **200 Litre Chest Freezer**
- Freezing capacity: 15kg/24hrs
- 2 x Wire baskets
- Adjustable feet
- Recessed handle
- Manual defrosting
- Noise level 39dB
- R600A Refrigerant (environment friendly)
- Dimensions 864 x 610 x 850mm (WxDxH)



RTD-408W

- **408 Litre Fridge**
- Frost free
- Mechanical temperature control
- Reversible door with recessed handle
- Glass shelves
- 408L/398L Gross/Net capacity
- Adjustable feet
- R134a Refrigerant (environment friendly)
- Energy saving and low noise
- Dimensions 675 x 680 x 1680mm (WxDxH)



CFZ-300

- **300 Litre Chest Freezer**
- Freezing capacity: 20kg/24hrs
- 3 x Wire baskets
- Adjustable feet
- Recessed handle
- Manual defrosting
- Noise level 39dB
- R600A Refrigerant (environment friendly)
- Dimensions 1120 x 682 x 850mm (WxDxH)



wine cellars

WF16SM

- 16 Bordeaux bottle capacity table top/freestanding wine & beverage cooler
- Mechanical controlled single temperature zone
- Adjustable temperature range (6-15°C)
- Suitable for chilling beer white/ sparkling wine & soft drink
- Vibration absorbers
- Silver trim UV filtered double glazed stainless steel reversible door
- Wire shelves
- Internal light
- Size W470 x D505 x H480mm



WF52BM

- 52 Bordeaux bottle capacity table top/freestanding wine & beverage cooler
- High efficiency/quiet compressor
- Mechanical controlled single temperature zone
- Adjustable temperature range (6-15°C)
- Suitable for chilling beer white/ sparkling wine & soft drink
- Vibration absorbers
- Black trim UV filtered double glazed stainless steel reversible door
- Wire shelves
- Internal light
- Adjustable feet
- Size W523 x D586 x H836mm



WF40SS

- Freestanding wine cabinet
- Computer controlled single temperature zone
- Adjustable temperature range (4-18°C)
- Suitable for ageing (12-14°C) or serving (under 10°C for white/ sparkling wine, 15-18°C for red wine)
- Humidity control >65%RH
- Vibration absorbers
- UV Filtered triple glazed stainless steel reversible door
- Wooden shelves
- Internal light
- Adjustable feet
- Size W500 x D585 x H840mm



BC100SS

- 100 Can Freestanding beverage cooler
- Computer controlled single temperature zone
- Adjustable temperature range (2-10°C)
- Suitable for chilling beer white/ sparkling wine & soft drink
- Vibration absorbers
- UV Filtered triple glazed stainless steel reversible door
- Metal wire shelves
- Internal light
- Adjustable feet
- Size W500 x D585 x H840mm



Designed to provide the right temperature to serve and mature wines to reach their peak of flavour. Latest climate technology, computer control system and innovative design features to store your wine in the best condition.



Temperature

Maintaining the right temperature is crucial for maturing and storing both red and white wine. Variations in the ambient air temperature over the period of a year are sufficient to affect the wine. The recommended setting is between 11 to 15 degrees for ageing.

Humidity

Maintaining the integrity of the cork is essential, only when at the ideal humidity of 50% to 80% will it ensure it remains supple. Inadequate humidity causes the cork to dry out, shrink and oxidation of the wine to occur.

Air circulation

The quality of air is one of the most important criteria for storing wines. A constant supply of fresh air prevents the formation of mould and associated bad odours which can lead to deterioration of the cork.

Light

All units feature triple glazed doors which are treated to provide optimal protection to filter out damaging ultraviolet and fluorescent light.

Vibration

Even the smallest disturbance can affect flavour and the bouquet of your wine. Vibration absorbers are necessary for bottles that are to be stored for long periods of time to ensure your wines mature undisturbed to reach peak flavor.

Made for each other

Create a complete beverage solution when you pair up the freestanding WF40SS and BC100SS or built-in WD46SS and BC120SS models. Ideal for home and the office.



WD46SS

- 50 Bordeaux bottle capacity wine cabinet
- Stainless steel door frame and grill, silver control panel
- Triple glazed anti UV light door
- Computer controlled dual adjustable temperature zones: upper 5-10°C for serving white wines, lower 10-18°C for storing and serving reds
- Sensor touch controls
- Humidity control >65%RH
- Vibration absorption system
- Front venting (allows for built-in)
- Reversible door
- Wooden shelves
- Internal light
- Size W595 x D580 x H860mm



BC120SS

- 120 Can Beverage Centre
- Stainless steel door frame and grill, silver control panel
- Triple glazed anti UV light door
- Computer controlled dual adjustable temperature from 2 to 10°C
- Sensor touch controls
- Humidity control >65%RH
- Vibration absorption system
- Front venting (allows for built-in)
- Reversible door
- Metal wire shelves
- Internal light
- Size W595 x D580 x H860mm



WF110BL

- 110 Bordeaux bottle capacity freestanding wine cabinet
- Black door frame and control panel
- Triple glazed anti UV light door
- Computer controlled single temperature zone
- Adjustable temperature range (4-18°C)
- Suitable for ageing (12-14°C) or serving (under 10°C for white/sparkling wine, 15-18°C for red wine)
- Humidity control >65%RH
- Vibration absorption system
- Front venting (allows for built-in)
- Reversible door
- Wooden shelves
- Internal light
- Size W595 x D680 x H1426mm



WF120SD

- 120 Bordeaux bottle capacity freestanding wine cabinet
- Double glazed anti UV light door
- Computer controlled single temperature zone
- Adjustable temperature range (6-18°C)
- Suitable for ageing (12-14°C) or serving (under 10°C for white/sparkling wine, 15-18°C for red wine)
- Humidity control >65%RH
- Vibration absorption system
- Reversible door
- Wooden shelves
- Internal light
- Adjustable feet
- Size W580 x D612 x H1467mm



WF168A/BL

- 168 Bordeaux bottle capacity wine cabinet
- Black door frame and grill, black control panel
- Triple glazed anti UV light door
- Computer controlled single temperature zone
- Adjustable temperature range (4-18°C)
- Suitable for ageing (12-14°C) or serving (under 10°C for white/sparkling wine, 15-18°C for red wine)
- Humidity control >65%RH
- Vibration absorption system
- Front venting (allows for built-in)
- Reversible door
- Wooden shelves
- Internal light
- Size W595 x D680 x H1800mm




JG168SS

- 168 Bordeaux bottle capacity wine cabinet
- Stainless steel door frame and grill, silver control panel
- Triple glazed anti UV light door
- Computer controlled dual adjustable temperature zones: upper 5-10°C for serving white wines, lower 10-18°C for storing and serving reds
- Humidity control >65%RH
- Vibration absorption system
- Front venting (allows for built-in)
- Reversible door
- Wooden shelves
- Internal light
- Size W595 x D980 x H1800mm




technical drawings


Models: **BLFF52 / 52E**
BLFF85E / BLPY60E




Model: **BLDF99**




Model: **BLUC90SS**




Models: **BLCEL50WH/50SS/60WH/60SS**
BLCDF50WH/50SS/60WH/60SS




Models: **CRSL606**
IDSF608




Models: **CRKL607**




Models: **CRSF745**




Model: **EH614**




Models: **BLGS60C/BLGSW60C**
BLGS60E/BLGSW60E




Models: **BLGSW704CF**
BLGSW705CF




Model: **BLGSW905CF**




Models: **BLGSW30CF**
EH302




Models: **DS8000A/DS8000-1A**
DS9800A/DS8000W-1A




Model: **DS4500A**




Models: **MV23ESP**
MV25GSS




Model: **MVI28GSS with Trim Kit**




Model: **SL601**




Model: **F0960S1D2**



Model: **F0990S1D2**



Model: **RH605P/B**




Model: RH905P


Model: RH906E/A

Model: RH955E

Model: RH915E



Sinkware: **Overmount / Undermount / Laundry**



Overmount sinks

- O1 DH452SF
- O2 NH359CF
- O3 NH357CF
- O4 NH365CF
- O5 NH339CF
- O6 NH381CF

Laundry insert troughs

- L1 YH216C
- L2 RH219C

Undermount sinks

- U1 F4545
- U2 F5545
- U3 F7345
- U4 F8745

Notes:





Experience cooking like never before, utilize technology to enhance flavour and innovative features to make your life easier. Elfa appliances offer the perfect balance of style and performance.

European styling and exceptional functions produce sensational results. Elfa's extensive product range allows you to create a world class kitchen.

The latest technology is at your fingertips to make your time in the kitchen an enjoyable experience. Each product has been cleverly designed to save energy, use less water, reduce detergents and contribute to cleaner air.

Discover Elfa, cooking solutions to complement your lifestyle and enhance your kitchen. Dependable products for both convenience and performance.



Bestlink International Pty Ltd
ABN 40 100 294 997
12 The Crossway
Campbellfield, VIC 3061

Telephone: **61 3 9357 6528**
Facsimile: 61 3 9357 6529

www.bestlink.com.au