



by Lammert Moerman

EN

MANUAL | JEE-O shower

INSTRUCTIONS FOR ASSEMBLY - MAINTENANCE - WARRANTY CONDITIONS

www.purificare-us.com

MANUAL | JEE-O shower

INTRODUCTION

PURIFICARE-US

1970 NE 153rd Street, Bay #20
North Miami Beach, FL 33162 USA
+1 (305) 699-5333
www.purificare-us.com

INSTRUCTIONS FOR ASSEMBLY

JEE-O original / fatline / pure / slimline / soho

- Always connect the shower in accordance with the instructions and after connecting the residual-current device / ground fault circuit interrupter.
- The surface must be smooth and waterproof.
- The pipes must be positioned 8cm below the finished floor and go up in a vertical, straight line.
- The hot and cold water pipes must be made of copper (Ø 15.3), centre-to-centre and come out of the floor vertically. Note: this must be done within a diameter of 6cm.
- Weld end pieces (Ø 15.5) on to the pipes.
- The height of the top of the end piece should not exceed 4cm, measuring from the finished floor.
- Secure the two flexible hoses that protrude from the JEE-O shower to the end pieces, hot on hot, cold on cold.
- Before assembling the JEE-O shower, put pressure on the mains and check for leaks.
- Now assemble the JEE-O shower on the floor.

JEE-O izi go

- The surface must be smooth.
- Connect a garden hose via the opening at the rear of the apron.
- We recommend JEE-O protect to maintain your JEE-O shower.

The JEE-O shower can also be used outdoors, but please note, the shower is **not** frost-resistant. If you want to be able to use the JEE-O throughout the year, you will have to take precautions to prevent it from freezing up. We therefore recommend disassembling the JEE-O shower if you do not use it during the winter.

For measurements and technical information of all JEE-O products, you can check the website: <http://www.jee-o.com/download>

MAINTENANCE

Stainless steel surfaces get dirty and damaged through daily use. This dirt or damage may reduce the resistance against corrosion or even cause corrosion, depending on the nature of the dirt. Not only do dirt and damage affect the resistance against corrosion, they also affect the appearance of stainless steel. Greasy fingerprints, annoying deposits, scratches, etc. make the steel look uncared for. It is therefore important to maintain stainless steel on a regular basis.

The JEE-O shower is made of stainless steel type 304, both the brushed and polished version.

Note - Because of the hammer coated finish on the whole JEE-O soho series, the shower should be cleaned with soapsuds or alcohol. UV radiation and an extreme temperature can affect the colour and structure of the JEE-O soho surface.

The periodic maintenance of stainless steel products comprises the following steps:

For greasy fingerprints, minor deposits, etc.:

- Clean with a soft dishcloth and a little stainless steel cleaner. Rub in the direction of the brush of the material;
- Spray some JEE-O Protect on a soft dishcloth and polish the surface.

This treatment will add a thin protective layer to the JEE-O shower.

Major deposits, beginning corrosion, shallow scratches:

- Clean with a soft dishcloth and a little stainless steel cleaner. Rub in the direction of the brush of the material;
- Treat stains with a little stainless steel cleaner. Rub in the direction of the brush of the material;
- Spray some JEE-O protect on a soft dishcloth and polish the surface.

This treatment will add a thin protective layer to the JEE-O shower.

Persistent dirt, corrosion, scratches:

Contact us or one of our dealers for information on how to treat persistent dirt, corrosion and scratches.

JEE-O CONDITIONS OF WARRANTY

The warranty is valid from the purchase date of the product, subject to submission of the original receipt. The warranty applies only to normal domestic use and provided the assembly and maintenance instructions have been observed. The warranty does not apply when a fault is caused by an accident, incorrect use, neglect, incorrect maintenance, incompetent use, natural events and/or unforeseen circumstances. Damage as a result of wear and tear or caused by impact or accidents does not fall under the warranty. The warranty is issued by the distributor of JEE-O.

1. Scope of application

The warranty scheme applies to all showers sold by us or one of our dealers under the name of JEE-O. The conditions of warranty apply to the country of purchase, taking into account the safety regulations and technical standards that apply in the country of purchase.

2. Certificate of warranty

Our products comply with the state of the art, the applicable standards for drinking water systems, building and inspection principles. We warrant that our products are irreproachably constructed, manufactured and delivered, and that they will perform reliably when used correctly and treated in accordance with our maintenance instructions. In the unlikely event that you encounter a problem with our products, we will provide a fast and professional service.

3. Warranty period

The warranty period is 2 years after the product purchase date. To make a claim under the warranty, you must submit the receipt - clearly stating the purchase date - and proof of (proper) annual maintenance. The product must be maintained on a regular basis. The annual maintenance frequency depends on where the JEE-O shower is installed. The warranty period is not renewed or extended on account of repairs or spare parts supplied during the warranty period.

4. Performances under the warranty

4.1. Within the aforementioned 2-year warranty period, we will deal with all manufacturing faults to the product that can be attributed to an error for which the manufacturer is responsible (for restrictions, see under 4.5 and 4.6). The service department will inspect the product and use its expertise to decide if the fault falls under the warranty.

4.2. The fault will be repaired to the extent that faulty parts are repaired or replaced with new parts, at our discretion, in the course of which exchanged parts become our property.

4.3. During the warranty period referred to under 3, the parts, labour, transport and packaging costs required for resolving the fault are not charged (on the condition that the product is accessible to carry out repairs, at no extra cost). Call-out charges apply after the first year of the warranty period has lapsed.

4.4. When a justified complaint cannot be resolved with the available means within a reasonable period of time or if we are unable to carry out the repairs or they are unacceptably delayed, we are prepared to supply a replacement product free of charge. We will decide what constitutes a suitable replacement product on the basis of our expertise.

4.5. The following fall outside our performance under the warranty:

Damage or faults caused by intent or neglect. Damage caused by ignoring the applicable assembly and maintenance instructions, as well as ignoring the written information about the scope of application of our products. Breakdowns due to dirt or scale on the products and parts, as well as outdoor use of the shower, resulting in frost damage.

4.6. A claim under the warranty lapses when work is carried out by unauthorised persons or if foreign parts are used.

4.7. Disassembled, faulty parts/products must be returned to us with an accompanying letter, carriage paid.

5. Claims

In the event of damage to objects or injury to persons which is suspected to have been caused by one of our products, this must be reported to us in writing without delay, so that we can contact our liability insurer. The product in question must be sent to us for assessment purposes.

