



NR15-02

**RUGBY OPTIONS NEVADA GOLD-SILVER PROJECT
(Tables and Figures)**

*Table 1: Historical 43-101 Mineral Resource Estimate**

Resource Category	Tonnes (x1,000)	Gold (g/t)	Silver (g/t)	Contained Gold Ounces	Contained Silver Ounces
Measured	7,775	0.51	8.745	128,000	2,184,000
Indicated	12,642	0.41	7.167	172,000	2,906,000
Total Measured & Indicated				300,000	5,090,000
Inferred	4,494	0.55	7.922	77,000	1,146,000

* Table extracted from Rye Patch Gold Corp., news release dated December 5, 2011 (click here for the news release http://ryepatchgold.com/news/2011/index.php?&content_id=132). The Measured and indicated resource is reported at 0.005 opt Au for oxide mineralisation and 0.010 opt Au for transition and sulphide mineralisation. The inferred resource is reported at 0.005 opt Au for oxide, transition, and sulphide ore types; however, a higher opt Au cut-off grade may be required to upgrade the inferred resource to the measured and indicated resource category. The Technical Report for the Jessup Project, Churchill County, Nevada was prepared for Rye Patch Gold Corp. by Scott E. Wilson, C.P.G. of Scott E. Wilson Consulting, Inc. and dated July 17, 2009 and is available for download at www.sedar.com. The Company will be required to conduct further assessment of previous drilling and conduct new resource modelling to confirm the details of the Jessup NI 43-101 resource estimation. The Company believes the data are suitable to report in this news release for informational reference only.

Table 2: Significant Drill Intersections**

DEPOSIT	HOLE	FROM	TO	WIDTH	Au	Ag
		m	m	m	g/t	g/t
San Jacinto	SWD 4	0	121.9	121.9	1.3	
		48.8	73.2	24.4	4.5	151
		99.1	103.6	4.5	4.1	631
	SWD 13	0	67.1	67.1	2.1	
		18.3	38.1	19.8	4.4	24
	JP06-47C	94.5	115.8	21.3	2.3	
		100.6	102.1	1.5	4.0	881
103.6		105.2	1.6	2.8	627	
Central Jessup	SWD 29	19.8	33.5	13.7	3.1	
		24.4	25.9	1.5	21.5	375
North Jessup	SWD 30	6.1	10.7	4.6	11.8	
		6.1	7.6	1.5	28.8	29
	PJ 29	6.1	33.5	27.4	2.8	
		18.3	19.8	1.5	25.0*	
	EXJ-97-5	4.6	47.2	42.6	1.4	
		18.3	19.8	1.5	31.4*	115
	EXJ-97-53	33.5	36.6	3.1	13.2	
		106.7	108.2	1.5	2.3	1207
	JP06-50C	19.8	21.3	1.5	50.6	926
	JR08-039	35.1	39.6	4.5	13.9	33

* Screen fire assay

**The Company will be required to conduct further assessment of previous drilling to confirm the details as disclosed in the above table. The Company believes the data is suitable to report in this news release for informational reference only.

Figure 1: Project Location Map



Figure 2: Project Location Map 2

