## <u>Pharmacy Technician Training Program</u> <u>FINAL EXAM VERSION A - Questions</u>

This is your final exam for this course. Please put away all your books, notes, and any other items away from your desk. Do not give the appearance that you are cheating or attempting to cheat. Please keep your eyes on your own paper. On your Scan-Tron please indicate which version of the exam you are taking (e.g. Version A or Version B). Please hand this paper in with your answer sheet. Please watch the time and note your time limit for this exam indicated by your instructor.

۵	Those your time mine for this exam mandated by your monatori
1.	When reading a patient's medical chart, the lab values would be found in which section of the
	SOAP note?

- a. Subjective
- b. Objective
- c. Assessment
- d. Plan
- 2. You see that a patient's chart indicates they are "NPO" what does this mean?
  - a. New patient orientation
  - b. No pertinent orders
  - c. Nothing by mouth
  - d. Normal pacemaker operation
- 3. Drugs that begin with the prefix "Cef-" belong to the drug class of cephalosporins and are typically used to treat:
  - a. Bacterial infections
  - b. Viral infections
  - c. Fungal infections
  - d. Spore forming mold infections
- 4. What does the word root derm mean?
  - a. Brain
  - b. Skin
  - c. Skull
  - d. Tooth
- 5. A solution contains 100 mg Drug X per 50mL. What is the percent strength of this solution?
  - a. 2%
  - b. 1%
  - c. 20%
  - d. 0.2%

- 6. Drugs that end in "-statin" belong to which drug class?
  - a. HMG-CoA reductase inhibitors
  - b. Calcium channel blockers (CCB)
  - c. ACE inhibitors
  - d. Beta blockers
- 7. When determining what a word means, the prefix:
  - a. comes at the end of the word and often indicates a condition or procedure
  - b. is the basic meaning of a term
  - c. comes at the beginning of a word and usually indicates location, amount, or time
  - d. makes words easier to pronounce
- 8. The following prescription is presented to the pharmacy:

Rx: Hctz 50mg #30 1 tab po qod c OJ

How many days will the prescription last the patient?

- a. 15 days
- b. 30 days
- c. 45 days
- d. 60 days
- 9. The acronym "ADME" stands for:
  - a. Absorption, distribution, metabolism, excretion
  - b. Abnormal, distended, membranous, extrusion
  - c. Absorption, dissection, mucous, excretion
  - d. Apparent, digestion, movement, excretion
- 10. Which of the following is NOT an organ system in the body:
  - a. Skeletal system
  - b. Cardiovascular system
  - c. Respiratory system
  - d. All of the above are organ systems in the body
- 11. Alzheimer's disease is a disorder associated with which body system?
  - a. Digestive system
  - b. Endocrine system
  - c. Nervous system
  - d. Reproductive system

	esents the most extensive tissue damage.
a.	First
b.	Second
C.	Third
d.	Gangrene
13. All o	f the following are drug classes used to treat hypertension except:
a.	ACE inhibitors
b.	ARB
c.	CCB
d.	SSRI
14. A co	ndition affecting the cardiovascular system characterized by excessive amounts o
	esterol in the blood, which may eventually lead to heart attacks, chest pain, or sti
knov	
a.	Hyperlipidemia
b.	
c.	Diabetes
d.	Depression
15. How	many units of insulin are in 1 mL?
a.	1
b.	10
<b>c</b> .	100
d.	1000
	ch of the following types of insulin is classified as long-acting insulin and only need
16. Whi	
	inistered once daily?
adm	inistered once daily? Novolin R
adm	
adm a.	Novolin R
adm a. b.	Novolin R Novolog
adm a. b. c. d.	Novolin R Novolog Lantus
adm a. b. c. d.	Novolin R Novolog Lantus Humulin R  ch of the following drugs is NOT used to treat asthma?
adm a. b. c. d.	Novolin R Novolog Lantus Humulin R  ch of the following drugs is NOT used to treat asthma?
adm a. b. c. d. 17. Whice a.	Novolin R Novolog Lantus Humulin R  ch of the following drugs is NOT used to treat asthma? Albuterol

TO. AAIII	ch of the following is not a risk factor for developing hypertension?
a.	Smoking
b.	Obesity
c.	High sodium diet
d.	Daily exercise
19. Dru	gs used to treat GERD come from all of the following classes EXCEPT:
a.	PPI
b.	NSAIDs
c.	H2As
d.	Antacids
20. Whi	ch of the following is NOT an NSAID?
	APAP
b.	
c.	Naproxen
d.	
	ch of the following is used for contraception but is not taken orally?
a.	
b.	
C.	Velivet
d.	NuvaRing
22. Dep	ression is a mood disorder affecting the nervous system characterized by a lack of
che	erfulness, dejection, loss of hope and lack of interest in daily activities. It is often caused
by a	chemical imbalance of neurotransmitters such as serotonin (5-HT), norepinephrine (NE),
and	dopamine (DA). Please select which medication can treat any of these imbalances.
a.	Vasotec
b.	Glyburide
c.	Warfarin
d.	Wellbutrin
22 Solo	ctive serotonin reuptake inhibitors (SSRIs) improve the chemical balance in the brain by
	biting the reuptake of serotonin, and typically end with which suffix?  "oxetine"
a. b.	
υ.	"triptylline"
c. d.	

24. Fenta	anyl is a drug used to treat:
a.	Mild pain
b.	Moderate pain
c.	Severe pain
d.	All of the above
25 Whic	h of the following is the generic name for Prozac?
23. Willo	Fluoxetine
а. b.	Paroxetine
о. С.	Sertraline
_	Citalopram
u.	Citalopiani
26. Whic	h of the following is the brand name for omeprazole?
a.	Prevacid
b.	Prilosec
c.	Pepcid
d.	Nexium
27. What	t should a pharmacy technician do while processing a prescription if he or she receives a
	raindicating message on the pharmacy terminal screen?
a.	Bypass the screen and continue to process the prescription
b.	Contact the physician and ask that a different drug be prescribed.
C.	Inform the patient that you cannot fill the prescription because the physician made an
	error.
d.	Inform the pharmacist of the message.
20. W/h a	
	n drugs are affected by consuming certain food or drink such as grapefruit juice, a patient
	experience a:
a.	Drug-drug interaction
b.	Drug-food interaction
C.	Drug-disease interaction
d.	Drug-smoking interaction
29. The _	enzymes are responsible for the metabolism of many medications.
a.	CYP250
b.	CYP350
c.	CYP450
d.	CYP550

30.	Whic	h of the following is known as the "fight or flight" system?
	a.	Autonomic nervous system (ANS)
	b.	Parasympathetic nervous system (PSNS)
	c.	Somatic nervous system (SoNS)
	d.	Sympathetic nervous system (SNS)
31.	Whic	h of the following is NOT a fat-soluble vitamin?
	a.	A
	b.	В
	c.	E
	d.	D
32.	Herb	al products are available over-the-counter, and are not regulated by the FDA and
		efore its active ingredients may not be authentic or proven to work.
	a.	True
	b.	False
	4	
22		hafilhafalla tarbarah ada bada 12 bada 2
33.		h of the following is not used to treat diabetes?
	a.	Insulin
	b.	Glyburide
	C.	Pioglitazone Flovent HFA
	d.	Flovent HFA
34.	Whic	h of the following symptoms is not typical in a common cold?
1	a.	Sore throat
	b.	Congestion
	c.	Wheezing
	d.	Coughing
	-	
35.	The a	average adult heart beats times per minute.
	a.	10-50 bpm
	b.	60-100 bpm
	c.	70-90 bpm
	d.	110-120 bpm
36	Whic	h of the following is a type of incontinence?
٠٠.	a.	Stress
	b.	Urge

c. Overflow

d. All of the above are types of incontinence

37. Whic	ch if the following is NOT a common reason for repackaging medication?
a.	Cost effectiveness
b.	Reusable
C.	More competitive against other hospitals
d.	Reduction of errors
20 1	awisaya ia haat dagaribad aay
	eniscus is best described as:  A beaker filled with a small amount of water
a.	
b.	Water molecules attaching to the sides of a container
	A container used to measure very small amounts of liquid  The lowest level of liquid is the point that should be used to measure
u.	The lowest level of liquid is the point that should be used to measure.
39. Whi	ch of the skills listed is the most important aspect of preparing sterile products?
a.	Aseptic technique
b.	Working in a horizontal flow hood
c.	Working in a vertical flow hood
d.	Using a filter needle
40. Hand	ds should always be washed or sanitized when
<b>a</b> .	Entering the intravenous room
<b>b</b> .	Before working in the horizontal flow hood
c.	Before working in the vertical flow hood
d.	All of the above
41 Child	dren under the age of do not have recommended dosages listed on over-the-
	nter products.
a.	1 year
b.	2 years
C.	5 years
d.	
42 14/1-	Lidera MADCA stand for 2
	t does MRSA stand for?
a.	Medication resistant staff A
b.	Methicillin-resistant Staphylococcus aureus
c. d.	Medical recommendation for surgical approval  None of the above
u.	None of the above
43. Keer	ping a compounding area clean ensures
a.	Avoidance of contamination of the products
b.	Less chance of errors
C.	Ability to mix several medications at the same time
d.	Both A and B

44. How many grams of boric acid are required to make 4 fl oz of the following boric acid solution?

Rx: Boric Acid 50g Purified water qs to make 1000 mL a. 0.006 g b. 0.06 g c. 0.6 g d. 6 g 45. The cause of diabetes is \_\_\_\_ a. The inability of the pancreas to secrete enough insulin to regulate glucose b. A resistance to insulin that can affect the metabolism of glucose c. Other factors such as blindness or renal failure d. A and B only. 46. Which form of Diabetes is Insulin Dependent? a. Hypoglycemia b. Hyperglycemia c. Type I Diabetes d. Type II Diabetes 47. ACE inhibitors is an abbreviation for: a. Anginal converting enzyme inhibitors b. Angiotensin-converting enzyme inhibitors c. Altering and converting enzyme inhibitors d. Activating coronary electrical inhibitors 48. What does hypoglycemia mean? a. High blood pressure b. Low blood pressure c. High blood sugar d. Low blood sugar 49. What does DUE mean? a. Directions Under Evaluation b. Drug Utilization Evaluation c. Drug Used Externally d. Doctor Under Examination

h of the following can be used as a smoking cessation product and as an antidepressant?
Bupropion
Nicotine
Trazodone
Zolpidem
atient has a hepatic disorder, which organ is involved?
Kidney
Heart
Liver
Stomach
h of the following drugs is not used to treat hyperlipidemia?
Aspirin
Fibric acid derivatives
Niacin
HMG-CoA reductase inhibitors
HMG-COA reductase inhibitors
is the generic name for Avapro?
Candesartan
Irbesartan
Losartan
Valsartan
the following are types of insurance except:
НМО
PPO
Medicaid
FDA
T
e and generic drugs cost the pharmacy the same price.
True
False
h of the following antibiotics should NOT be used in children under 16 years of age?
Avelox
Amoxil
Augmentin
Keflex

57. Which of the following medications is an Angiotensin II receptor blocker? a. Avapro b. Avandia c. Lipitor d. Zyvox 58. If a prescription has a DAW 2 it means: a. Generic substitution is permissible b. Physician does not allow generic substitution over brand c. Patient requests brand to be dispensed instead of generic d. Patient cannot afford medication 59. When is comes to insurance issues, the technician plays an important role; a. to determine or verify coverage b. to obtain prior authorizations c. to rectify rejected third-party claims d. all of the above 60. Which of the following is not a side effect of the Ace Inhibitor (Captopril)? a. rash b. angioedema c. cough d. congestion 61. Which of the following is not a side effect of the Vasodilator (Nifedipine)? a. nausea b. flush appearance c. vertigo d. sexual dysfunction 62. You receive an order for a patient to receive a continuous infusion of D5W at a rate of 50 gtt/min. How many bags of 1 L D5W are needed to supply this patient with 24 hours of fluid? The tubing has a drip factor of 25 gtt/mL a. 1 bags b. 2 bags c. 3 bags d. 4 bags

63. Which of the following is the primary site of activity for the drug Warfarin?	
a. kidney	
b. liver	
c. blood	
d. heart	
64. A drug ending in the suffix (pril) is considered a	
a. H2RA	
b. ACE inhibitor	
c. antifungal	
d. Beta agonist	
65. A drug ending in the suffix (azole) is considered a	
a. Macrolide antibiotic	
b. ACE inhibitor	
c. antifungal	
d. Beta agonist	
66. Which of the following is not directly related to a drug toxicity of Nitroglycerin?	
a. headaches	
b. tachycardia	
c. dizziness	
d. projectile vomiting	
d. Projectic vorniting	
67. In order to maintain CPhT certification, how many hours of continuing education are require	h
in a 2 year period?	_
a. 10	
b. 15	
c. 20	
d. 25	
u. 25	
68. Which of the following injectable routes of administration consists of very small volumes of	
fluid given just below the skin using a fine, short needle?	
a. Subcutaneous	
b. Intramuscular	
c. Intravenous	
d. Intraperitoneal	
a. malaperitorical	
CO. Tatal paramtaral autilities is used when patients are a second selections of a decrease in the control of t	
69. Total parenteral nutrition is used when patients cannot consume food or nutritional formula	J
for a prolonged period of time	
a. True	
b. False	

70. Which of the following has the lowest contamination risk based on ISO Class requirements?
a. ISO Class 5
b. ISO Class 7
c. ISO Class 9
d. ISO class 11
74. William and action and the transfer to the transfer to
71. When repackaging medications, it is important to:  a. Repackage in an isolated, clean area with enough space to work
b. Only repackage one medication at a time to reduce chances of error
c. Make sure the repackaged medication is approved by a pharmacist before released for
distribution
d. All of the above
72. In the pharmacy, many antibiotics come in the form of powder and require the addition of
distilled water to create a suspension. This process is known as:  a. Compounding
a. Compounding b. Ad-mixing
c. Reconstitution
d. Chemotherapy
73. Which of the following capsule size is the largest?
a. 000
b. 1
c. 3 d. 4
u
74. Which chapter of the United States Pharmacopeia (USP) contains enforceable sterile
preparation compounding requirements?
a. Chapter 71
b. Chapter 797
c. Chapter 1160
d. Chapter 1160
75. A child weighs 65 pounds, what is their weight in kilograms?
a. 20
b. 25.5
c. 29.5
d. 31
76. A physician and an Zarantin sum 20 ma flooritist di titul de conformatille de la
76. A physician orders Zarontin syrup 20 mg/kg bid in divided doses for a child who has been
diagnosed with seizures. The child weighs 54 pounds. The medication available is Zarontin
syrup 250 mg/5mL. What is the total strength of medication to be given in a day?
a. 250 mg
b. 500 mg

c. 1000 mgd. 1500 mg

- 77. Using the same scenario as above, what is the strength of the medication to be administered as a single dose?
  a. 100 mg
  b. 250 mg
  c. 500 mg
- 78. Using the same scenario as above, what is the volume of medication to be given to the child as a dose?
  - a. 5 mL

d. 750 mg

- b. 10 mL
- c. 15 mL
- d. 20 mL
- 79. Dr. Jones orders Septra DS bid x 7 days, and then daily x 21 days. How many tablets should you prepare for dispensing?
  - a. 30
  - b. 35
  - c. 40
  - d. 45
- 80. A container of IV fluids contains ½ L. How many milliliters is this?
  - a. 250 mL
  - b. 500 mL
  - c. 750 mL
  - d. 1000 mL
- 81. When reconstituting a medication, it is important to read the label or package insert carefully because it will provide the amount of diluents you will need for proper reconstitution since the amount of diluents added will never equal the total volume of reconstituted medication because the powder occupies some space in the final volume of the medication.
  - a. True
  - b. False
- 82. You receive a prescription for 15g of a Topical Steroid Cream containing a 12% concentration. Your pharmacy only has 10% and 15% concentrations. How much of each can you combine to fill this prescription?
  - a. 6g of 15% + 9g of 10%
  - b. 10g of 10% + 5g of 15%
  - c. 8g of 10% + 7g of 15%
  - d. 12g of 10% + 3g of 15%


Silde	nafil is \$120.00, what will the retail price be.
a.	\$201.75
b.	\$188.50
C.	\$169.75
d.	\$125.75
84. A pre	eparation consisting of solid particles dispersed throughout a liquid is called
a.	Syrup
b.	Emulsion
C.	Suspension
d.	Elixir
05 6	
	om mixing of drugs from various available products to fit the unique needs of a vn as:
a.	Amalgamation
b.	Concocting
c.	Compounding
d.	Mixology
	Too is a sustamor at your ratail pharmacy. He has proscription drug soverage the
86. Mr. <sup>-</sup>	Tee is a customer at your retail pharmacy. He has prescription drug coverage the
86. Mr. <sup>-</sup>	Tee is a customer at your retail pharmacy. He has prescription drug coverage the loyer. When he picks up his prescription he must pay a portion of the price know
86. Mr. <sup>-</sup> emp	loyer. When he picks up his prescription he must pay a portion of the price know
86. Mr emp	loyer. When he picks up his prescription he must pay a portion of the price known
86. Mr emp  a. b.	loyer. When he picks up his prescription he must pay a portion of the price known —————.  Premium  Deductible
86. Mr emp 	loyer. When he picks up his prescription he must pay a portion of the price known premium  Deductible  Waiver
86. Mr emp  a. b.	loyer. When he picks up his prescription he must pay a portion of the price known —————.  Premium  Deductible
86. Mr. emp a. b. c. d.	loyer. When he picks up his prescription he must pay a portion of the price known premium  Deductible  Waiver
86. Mr. emp  a. b. c. d.	loyer. When he picks up his prescription he must pay a portion of the price known —————.  Premium  Deductible  Waiver  Co-Pay
86. Mr	loyer. When he picks up his prescription he must pay a portion of the price known ———————————————————————————————————
86. Mr	loyer. When he picks up his prescription he must pay a portion of the price known and the price known are premium.  Premium Deductible Waiver Co-Pay  Ch of these temperatures would be within Controlled / Room Temperature standards F 20° C
86. Mr emp	loyer. When he picks up his prescription he must pay a portion of the price known ———————————————————————————————————
86. Mr emp	loyer. When he picks up his prescription he must pay a portion of the price known and the price known are premium.  Premium  Deductible  Waiver  Co-Pay  Ch of these temperatures would be within Controlled / Room Temperature standards F  20° C  38° F
86. Mr emp	Premium Deductible Waiver Co-Pay  ch of these temperatures would be within Controlled / Room Temperature stand 86° F 20° C 38° F 65° C  acronym APAP is used for:
86. Mr. emp  a. b. c. d.  87. Whice a. b. c. d.	loyer. When he picks up his prescription he must pay a portion of the price known and the price known are premium.  Premium  Deductible  Waiver  Co-Pay  Ch of these temperatures would be within Controlled / Room Temperature standards or C  38° F  20° C  38° F  65° C  acronym APAP is used for:  Aspirin
86. Mr. emp  a. b. c. d.  87. Which a. b. c. d.  88. The a.	Premium Deductible Waiver Co-Pay  ch of these temperatures would be within Controlled / Room Temperature stand 86° F 20° C 38° F 65° C  acronym APAP is used for:

- 89. The FDA publication of Approved Drug Products with Therapeutic Equivalence Evaluations is called: a. Merck Manual b. Facts and Comparisons c. Orange Book d. Micromedex 90. A 600ml IV solution is to be given over a 5 hour period. Which of the flow rate below would need to be used?
  - a. 2.0ml/min
  - b. 2.5ml/min
  - c. 3.0ml/min
  - d. 3.5ml/min
- 91. While rotating stock you notice an expiration date on a bottle that reads 08/10. What is the last day that product may be used?
  - a. July 31, 2010
  - b. August 1, 2010
  - c. August 31, 2010
  - d. September 1, 2010
- 92. You are asked to reconstitute a 4.5 g vial of Piperacillin/Tazobactam to a concentration of 450 mg/mL Assuming no powder volume, how many mL of sterile water would you add?
  - a. 5mL
  - b. 10mL
  - c. 15mL
  - d. 20mL
- 93. You are asked to reconstitute a 2 g vial of Ampicillin to a concentration of 20 mg/mL The vial has a powder volume of 2.5 mL, how many mL of sterile water would you add?
  - a. 97.5 mL
  - b. 100 mL
  - c. 10 mL
  - d. 9.75 mL
- 94. How many mL would you draw of a stock Vancomycin solution of 10 mg/mL to fill the following order?

Vancomycin 750 mg in 250 ml NS

- a. 5 mL
- b. 20 mL
- c. 17.5 mL
- d. 7.5 mL

- 95. You receive an order for Amikacin 500 mg in NS 100 mL. You have available Amikacin 250 mg/mL solution for injection. How many mL will you draw of the Amikacin, and in what stock solution?
  - a. 2 mL Amikacin; 100 mL 0.9% NaCl
  - b. 4 mL Amikacin; 100 mL 0.9% NaCl
  - c. 2 mL Amikacin; 100 mL 0.45% NaCl
  - d. 4 mL Amikacin; 100 mL 0.45% NaCl
- 96. You read in a package insert for Daptomycin that to prepare a 50 mg/mL solution from the 500 mg vial to add 8.7 mL of 0.9% NS. What is the powder volume of Daptomycin?
  - a. 0.3 mL
  - b. 1 mL
  - c. 1.3 mL
  - d. 10 mL
- 97. How many milligrams of Dextrose are contained in a 1000 mL bag of 5% Dextrose and 0.45% Normal Saline?
  - a. 50,000 mg
  - b. 5,000 mg
  - c. 500 mg
  - d. 50 mg
- 98. How many grams of NaCl would you add to 3 L of water to make a 37.5% solution of NaCl?
  - a. 1.125 g NaCl
  - b. 12.5 g NaCl
  - c. 0.375 g NaCl
  - d. 3.75 g NaCl
- 99. 4% (w/v) is short for what?
  - a. 4 g/100mL
  - b. 4 mg/100mL
  - c. 4g/100mg
  - d. 4mg/100mg
- 100. A solution of 2 g Drug X per 100 mL solution can also be expressed as what?
  - a. 2% (v/v)
  - b. 2% (w/w)
  - c. 2% (w/v)
  - d. 2% (v/w)



107. A patient is to receive 3,000 ml of 0.5 NS per day. At what rate is the patient receiving the IV fluid? a. 0.83 ml/min b. 2.08 ml/min c. 2.91 ml/min d. 3.75 ml/min 108. A patient has two IVs running: a Levofloxacin drip at 22 ml/h and a saline drip at 40 ml/h. How much fluid is the patient receiving per day from his IVs? a. 1448 ml per day b. 1554 ml per day c. 1578 ml per day d. 1622 ml per day 109. You receive an order for a 2 L bag to be given over 24 hours. Your tubing states it delivers 15 gtt/mL. How many ml will be given per hour? a. 83.3 ml/h b. 100 ml/h c. 122.2 ml/hr d. 133.3 ml/hr

You receive an order for a 2 L bag to be given over 24 hours. Your tubing states it

A syringe is labeled "amiodarone 5mg/ml, 20 ml" How many milligrams of amiodarone

delivers 15 gtt/mL. How many drops will be given per minute?

How long will a 1 L bag of NS run at a rate of 125 mL/h?

110.

111.

112.

a. 16.2 gtt/minb. 18.6 gtt/minc. 20.7 gtt/mind. 22.8 gtt/min

a. 6 hoursb. 8 hoursc. 10 hoursd. 12 hours

a. 5 mgb. 20 mgc. 50 mgd. 100 mg

are contained in the syringe?

<ul> <li>You have a 70% solution and a 20% solution of Drug X. How many ml of each solution do you need in order to create 1 L of a 40% solution of Drug X?</li> <li>a. 400 mL of the 70% solution; 600 ml of the 20% solution</li> <li>b. 600 mL of the 70% solution; 400 ml of the 20% solution</li> <li>c. 500 mL of the 70% solution; 500 ml of the 20% solution</li> <li>d. 200 mL of the 70% solution; 800 ml of the 20% solution</li> </ul>
114. What is the Latin abbreviation for "both eyes"?
a.od
b.ou
c. os
d.ob
115. Which of the following is NOT a topical dosage form?
a. Ointment
b.Lotion
c. Troche
d.Collodion
116. Which of the following is NOT a reason why pharmacies repackage drugs into unit dose
packaging on site?
a. Increase speed and efficiency of drug delivery.
b. Decrease errors
c. It is cheaper to buy pre-unit dose packaged drugs
d. Unopened unit dose drugs can be re-used.
117. Which of the following routes of administration produces the quickest onset of action of
a drug?
a. PR
b. PO
c. IM
d. IV
118. How would you identify a medication in a drug recall situation?
a. by generic name
b. by trade name
c. by manufacturers' bar code
d. by lot numbers
119. Which of the following medications is commercially available as a patch?
a. morphine
b. meperidine
c. codeine
d. Fentanyl

120.		What is the maximum number of refills permitted for a Schedule II?
	a.	5 refills
	b.	no refills
	C.	1 refill
	d.	prn refills
121.		Who is responsible for the drug recall process?
	a.	OSHA
	b.	OBRA
	c.	FDA
	d.	NBA
122.		Which of the following is <u>NOT</u> a technician responsibility?
	a.	signing the DEA form from the wholesaler
	b.	assisting in the controlled substance inventory
	c.	preparing control dispensing reports
4	d.	prepacking controlled substances
123.		Which of the following statements <u>IS</u> appropriate for a laminar flow hood?
	a.	test the HEPA filter every 2 years
	b.	work at least 4 inches within the hood
	c.	clean the hood from back to front
	d.	clean hood from front to back
124.		The markup for a \$36.75 vial of insulin is 18%. What is the retail price for this
m	edi	cation?
	a.	\$39.67
	b.	\$41.68
	c.	\$43.37
	d.	\$46.92
125.		Which of the following classes of antibiotics should not be given to children under the
a	ge o	of 16?
	a.	Macrolides
	b.	Penicillins
	c.	Tetracyclines
	d.	Sulfas
126.		How many milligrams of atropine sulfate are need to make 30 ml of a 1:200 solution?
	a.	1.5
	b.	15
	c.	150
	d.	1500

127.	Which of the following medications is not a proton pump inhibitor?
а	. Aciphex
b	. Ritalin
С	. Prevacid
d	. Protonix
128.	To which schedule does Adderall belong?
a	. 11
b	. III
С	. IV
d	. v
129.	How many 250-mg capsules are needed to fill the following prescription: "Amoxicillin
500	) mg tid for 10 d"?
a	. 20
b	. 40
C	. 60
d	. 80
130.	Which of the following medications is not a calcium channel blocker?
a	. Diovan
b	. Norvasc
C	. Plendil
O d	. Tiazac
131.	What disease is characterized by polyuria, polydipsia, and polyphasia?
a a	
b	
C	A
	. Hypertension
~	. Trype i cension
132.	How many capsules each containing 250 mg of penicillin are needed to provide 50
_	/kg/day for 10 days for an adult weighing 187 lb?
_	. 17
	. 82
C	
d	. 822
133.	If the dose of a drug is 150 mcg, how many doses can be prepared from 0.120g?
а	. 8
b	. 80
С	. 800
d	. 8000

134.		How should Nitroglycerin be taken?
	a.	PO
	b.	PRT
	c.	SQ
	d.	SL
135.		Which of the following is an <u>advantage</u> of a parenteral drug?
	a.	Can not reverse an overdose
	b.	Rapid onset of action
	c.	Possibility of injecting pyrogens into the body
	d.	Trauma to the body
136.		What is the generic name for Micronase?
	a.	Glimepiride
	b.	
	c.	Glyburide
	d.	Pioglitazone
137.		What is the maximum number of refills allowed on a prescription of clonazepam?
	a.	0
	b.	5
	c.	12
	d.	Unlimited
138.		A physician orders KCL 40 mEq to be added to D5W 1000 ml and administered over 4 hr.
UT.	he i	njection solution on hand is KCL 2 mEq/mL. How many millimeters of KCL should be
a	dde	d?
	a.	40
	b.	8
	C.	16
	d.	20
		T.
139.		Which of the following medications is <u>not</u> used for hyperlipidemia?
	a.	Folic Acid
	b.	Zocor
	С.	Tricor
	-	Lescol
	٠	
140.		Which of the following insulins require a prescription?
	a.	Humulin N
	b.	Humulin R
	c.	Lantus
	d.	Novolin

141.		What is the net profit for a prescription that has an acquisition cost of \$45.00, a
d	ispe	nsing cost of \$3.75, and retails at \$55.00?
	a.	\$3.75
	b.	\$6.25
	c.	\$10.00
	d.	\$13.75
142.		What is the meaning of "ut dict?"
	a.	As directed
	b.	As needed
	c.	Ointment
	d.	No refills
143.		What is the name of the organization that is responsible for accrediting pharmacy
	duc:	ation programs?
-	a.	ACCP
1	b.	ACPE
	C.	APhA
	d.	ASHP
	u.	ASIII
144.		In what drug classification does Coreg belong?
	a.	Diuretics
	b.	Beta blockers
	c.	Ace-Inhibitors
	d.	Calcium channel blocker
1		
145.		What is the generic name for Augmentin?
	a.	Amoxicillin-clavulanate
	b.	Ampicillin-sulbactam
	c.	Piperacillin-tazobactam
	d.	Ticararcillin-clavulanate
146.		Which of the following drugs require you to taper off in order to discontinue?
	a.	Augmentin
	b.	Flonase
	c.	Prednisone
	d.	lisinopril
147.		What group of people does Medicare not cover?
±→/.	a.	Infant patients
	a. b.	Disabled patients
	о. С.	Dialysis patients
	d.	Senior patients
	u.	ocinor patiento

148. What class of antibiotics does levofloxacin belong to? a. Cephalosporins b. Fluroquinolones c. Penicillins d. Sulfa 149. After passing the pharmacy technician certification exam, pharmacy technicians may use the following designation after their name: Pt a. b. RPhT c. CPhT d. none of the above 150. What components are required for a generic drug to be manufactured in United States: must have same active ingredient b. must have same dosage form must be same route of administration all of the above ton