Munson Hybrids

Corn Test Plot Report

Year	Crop	Munson Sales Rep	Plot Name	County/State		Plot Cooperator	
2015	Corn	Ryan Singler	Paul Corn Plot	Outagamie/WI		Jeff Paul	
Planting Date	**Planting Rate**	**Previous Crop**	**Tillage System**	**Irrigation Y/N**	**Insecticide**	**Harvest Date**	**ECB Pressure**
3-May				N		22-Oct	
Soil Texture		**Fertility Level**	**Herbicide Program**			**Primary Disease(s)**	
Silt Loam							

Comments:**THIS PLOT REPORT WAS COPIED FROM A MYCOGEN PRODUCED PLOT REPORT WITH THE ONLY CHANGES BEING ADJUSTED TEST WEIGHTS**

Yield Formula: (100 - % harvest moisture) x pounds of grain x 109.815 / row length in feet / row width in inches / number of rows = bushels / acre at 15% moisture

Company	Hybrid	Tech-nology	Maturity	Row Length (FT)	Row Width (inches)	Number of Rows	Pounds of Grain	% Moisture	Adjusted Test Weight (#)	Corrected Yield (bu/A)
Mycogen	2V357	SS	93	-	30	-	-	19.0	-	**200.9**
Dekalb	44-15	VT2P	94	-	30	-	-	20.4	56.0	**195.0**
Renk	RK 299VT2P	VT2P	89	-	30	-	-	18.3	58.5	**193.8**
Dekalb	43-48	VT2P	93	-	30	-	-	18.2	58.0	**187.6**
Croplan	3499VT3P	VT3P	94	-	30	-	-	22.1	56.0	**183.5**
Munson	5016VT2P	VT2P	90	-	30	-	-	20.4	57.0	**182.3**
Dekalb	43-10	VT2P	93	-	30	-	-	18.8	56.8	**179.3**
Croplan	3390VT3P	VT3P	93	-	30	-	-	18.8	56.8	**177.4**
Mycogen	X14130GS	3000GT	97	-	30	-	-	22.3	55.5	**176.4**
Munson	5581VT3P	VT3P	95	-	30	-	-	21.8	56.0	**175.7**
Renk	RK 568VT3P	VT3P	95	-	30	-	-	21.5	57.0	**175.1**
Dekalb	43-10	VT2P	93	-	30	-	-	19.2	56.8	**173.3**
Renk	RK 522SSTX	SS	94	-	30	-	-	20.5	56.3	**173.0**
Mycogen	2P198	SS	85	-	30	-	-	18.3	57.0	**171.4**
Croplan	3611SS	SS	96	-	30	-	-	23.3	55.8	**171.1**
Croplan	3699VT2P	VT2P	96	-	30	-	-	21.7	58.0	**170.4**
Dekalb	41-32	SS	91	-	30	-	-	19.4	56.8	**169.1**
Mycogen	2J238	SS	88	-	30	-	-	20.2	54.5	**166.2**
Mycogen	X14341VH	SS	92	-	30	-	-	18.1	-	**165.5**
Renk	RK 415VT2P	VT2P	92	-	30	-	-	19.6	57.5	**163.9**
Dekalb	38-03	VT2P	88	-	30	-	-	17.6	57.5	**163.3**
Munson	5286VT2P	VT2P	82	-	30	-	-	21.5	56.5	**162.9**

Tillage System = no-till, strip-till, conservation tillage or conventional tillage / European Corn Borer Pressure = Heavy, Moderate or Light
Soil Texture = sand, loamy sand, sandy clay loam, sandy clay, loam, silt loam, silt, clay loam, silty clay loam, silty clay or clay / Fertility Level = High, Medium or Low

Test Weight Adjustment: Based off of University of Wisconsin Extension publication "Understanding Test Weight", October, 2009. Add 1/4 pound of test weight for each point of moisture beginning at 16% = +1 pound. Example: 54# test weight @ 20% moisture = 54 + 2 = 56#. 18=+1.5; 20=2.0; 22=2.5; 24=3.0; 26=3.5; 28=4.0 etc.

I grant Munson Hybrids, Inc. permission to use my name and information obtained from me to evaluate and market its products.

Signature: _____ Date: _____

MUNSON™

Performance is Personal.

1262 Knox Rd 100E, Galesburg, IL 61401 ▪ **tf:** 888-813-7333 ▪ ***munsonhybrids.com***