

NEOLITH

COLOURGROUPS 2016



NEOLITH

NSS

Natural and
Sintered Surfaces
LIMITED

INFORMATION

Technical Information

Should you require further information about technical requirements when fabricating Neolith, please contact the QFD technical department at email: technical@qfdistribution.co.uk

Delivery

NSS orders valued over £1,000 will be delivered free of charge, however for orders valued under £1,000 a delivery charge of £75.00 will be added to the invoice due to extra time and special handling required for this product

General Terms and Conditions

All orders are accepted subject to NSS's General Terms and Conditions of Sale, and at your request NSS will forward a copy

CHARACTERISTICS



Lightweight

Only 27.8kg/m² in the 12mm slab



Resistant to scratches

To abrasion, wear and tear



Resistant to fire

and high temperatures



Waterproof

Absorbtion level of almost zero



Flex Resistant

High flexural strength



Freeze

and thaw resistant



Flex Resistant

High flexural strength



Easy to clean

Resistant to any kind of chemical cleaning agent



100% Natural

It does not give off any substances that are harmful to the environment



100% Recyclable



UV Resistance

Neolith colors do not vary with the exposure of UV rays



Resistant to high traffic



PRICE GROUP ①	COLLECTION	PRICE GROUP ②	COLLECTION	PRICE GROUP ③	COLLECTION	PRICE GROUP ④	COLLECTION	PRICE GROUP ⑤	COLLECTION
SATIN - SLAB SIZE 3250 x 1550									
Avorio	Colorfeel	Nero	Colorfeel	Basalt Beige	Fusion	Iron Corten	Iron		
Barro	Fusion	Humo	Colorfeel	Belgian Blue	Fusion	Iron Moss	Iron		
Cement	Fusion	Lava	Colorfeel	Phedra	Fusion	Iron Grey	Iron		
		Arena	Colorfeel			Iron Copper	Iron		
						Iron Blue	Iron		
						Iron Ash	Iron		

PRICE GROUP ①	COLLECTION	PRICE GROUP ②	COLLECTION	PRICE GROUP ③	COLLECTION	PRICE GROUP ④	COLLECTION	PRICE GROUP ⑤	COLLECTION
SILK - SLAB SIZE 3250 x 1550									
		Crema Marfill	Classtone	Pulpis	Classtone	Arctic White	Colorfeel	Estatuario	
		Pietra di Luna	Fusion	Beton	Fusion			E04/E04-R	Classtone
		Pietra di Osso	Fusion	Nieve	Colorfeel			Calacatta	
		Pietra di Piombo	Fusion	Basalt Black	Fusion			C01/C01-R	Classtone
				Basalt Grey	Fusion				
				Travertino					
				Clasico	Classtone				
				Travertino					
				Navona	Classtone				

PRICE GROUP ①	COLLECTION	PRICE GROUP ②	COLLECTION	PRICE GROUP ③	COLLECTION	PRICE GROUP ④	COLLECTION	PRICE GROUP ⑤	COLLECTION
POLISHED - SLAB SIZE 3250 x 1550									
	Arena Marfil	Fusion Classtone	Nieve Pulpis Beton Travertino Clasico Travertino Navona	Colorfeel Classtone Fusion Classtone Classtone	Arctic White Nero Assoluto	Colorfeel Fusion	Estatuario E04/E04-R Calacatta C01/C01-R	Classtone Classtone	

PRICE GROUP ①	COLLECTION	PRICE GROUP ②	COLLECTION	PRICE GROUP ③	COLLECTION	PRICE GROUP ④	COLLECTION	PRICE GROUP ⑤	COLLECTION
RIVERWASHED - SLAB SIZE 3250 x 1550									
	Pietra di Luna Pietra di Osso Pietra di Piombo	Fusion Fusion Fusion	Nieve Beton Nero Zimbabwe	Colorfeel Fusion Fusion					

PRICE GROUP 1		PRICE GROUP 2		PRICE GROUP 3		PRICE GROUP 4		PRICE GROUP 5	
COLLECTION		COLLECTION		COLLECTION		COLLECTION		COLLECTION	
SILK - SLAB SIZE 3250 x 1550									
Cement	Fusion	Arena	Fusion	Beton	Fusion	Iron Copper	Iron	Estatuario	
		Lava	Fusion	Basalt Black	Fusion	Iron Moss	Iron	E04/E04-R	Classtone
				Phedra	Fusion			Calacatta	
				Pulpis	Classtone			C04/C04-R	Classtone

STOCK RANGE 6mm+ POLISHED

PRICE GROUP 1		PRICE GROUP 2		PRICE GROUP 3		PRICE GROUP 4		PRICE GROUP 5	
COLLECTION		COLLECTION		COLLECTION		COLLECTION		COLLECTION	
SILK - SLAB SIZE 3250 x 1550									
				Pulpis	Classtone			Estatuario	
								E04/E04-R	Classtone
								Calacatta	
								C04/C04-R	Classtone

NEOLITH

THE SIZE SURFACES SL

P.I. Cami Fondo, Supoi 8, C/dels Ibers, 31
CP 12550 Almazora (Castellón), Spain

www.thesize.es

The logo consists of the word "NEOLITH" in a bold, sans-serif font. The letters "NEO" are white, and "LITH" is yellow. The logo is set against a dark grey rectangular background.

Distributed in the South of England by Natural and Sintered Surfaces Limited
(a trading division of QF Distribution Limited)

NATURAL AND SINTERED SURFACES LIMITED

QF Distribution Limited – Showroom and Offices

Business Design Centre - Unit 128,
52 Upper Street, Islington, London, N1 0QH

Tel: +44 (0)1203 457 4949

Email: showroom@qfdistribution.co.uk , sales@qfdistribution.co.uk

www.qfdistribution.co.uk

QF Distribution Limited - Warehouse

Unit 3, Sandown Road, Watford, WD24 7UB, United Kingdom

Tel: +44 (0)1245 243929 / Fax: +44 (0)1245 243921

Email: orders@qfdistribution.co.uk / www.qfdistribution.co.uk

The logo features the letters "NSS" in a large, bold, white sans-serif font, set against a black square background.

**Natural and
Sintered Surfaces**
LIMITED