



Responsive. Reliable.

Equipment Price List

Effective February 3, 2020

Ventless Hoods (Recirculating Systems)



Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
OVH-10	35-15/16" [913 mm]	40-1/2" [1029 mm]	30-1/16" [764 mm]	245 lbs [111 kg]	208/240V 3 Amps 1 or 3 Ph	Consult factory for approved applications	\$7,790
PO-VH	60-7/16" [1535 mm]	41-9/16" [1056 mm]	32-15/16" [837 mm]	455 lbs [206 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for approved applications	\$7,852
GVH-C	32" [813 mm]	36-11/16" [932 mm]	58-7/8" [1495 mm]	435 lbs [197 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for applications	\$15,850
FSH-2	29-11/16" [754 mm]	31-1/2" [800 mm]	83-3/4" [2128 mm]	415 lbs 188 kg	208/240V 5 Amps 1 Ph	Consult factory for approved applications	\$13,651
FSH-2A-99	30-7/16" [748 mm]	40-3/16" [1021 mm]	95-3/4" [2432 mm]	610 lbs [277 kg]	208/240V 5 Amps 1 Phase	Consult factory for approved applications	\$14,850

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective February 3, 2020

Ventless Hoods (Recirculating Systems) - Continued



GVH-F



FSH-4



FSH-6

Model	Width	Depth	Height	Shipping Weight	Electrical Specs	How To Specify	Price
GVH-F	37-1/8 [943 mm]	36-11/16" [932 mm]	82-3/16 [2088 mm]	485 lbs [220 kg]	208/240V 5 Amps 1 or 3 Ph	Consult factory for applications	\$16,690
FSH-4 w/72" Stand	48-5/8" [1234 mm]	49-11/16" [1263 mm]	111-3/8" [2829 mm]	835 lbs [379 kg]	208/240V 8 Amps 1 Ph	Consult factory for applications: 72" Stand ONLY	\$21,880
FSH-6 w/72" Stand	72-11/16" [1855 mm]	49 5/8" [1260 mm]	109-1/4" [2775 mm]	925 lbs [420 kg]	208/240V 8 Amps 1 Ph	Consult factory for applications: 72" Stand ONLY	\$23,900

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Responsive. Reliable.

Equipment Price List

Effective February 3, 2020

Multi-Purpose, Square-Vat Electric Fryers

Small, Multi-Purpose Electric: Single -or- Banked ... Computer Control Only



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GBF-50 Single or Multi-Unit	16-1/4" [412 mm] (Sgl) up to 81-1/8" [2060 mm] (5-Bank)	35-3/8" [900 mm]	49-1/8" [1247 mm]	385 lbs [175 kg] (Sgl) up to 1174 lbs [533 kg] (5-Bank)	Per Fryer Unit 208/240/380/415 V 50-60 Hz 3-Ph: 53/46/26/29 A 18,000 W 380V = 16,485 W 1-PH NOT AVAILABLE	Per Fryer Shortening: 50 lbs. 22.7 kg Product: Fries = 5 lbs Chicken = 12 lbs	GBF-50 + # Banked if any + Lift Option	Single Unit \$13,081 Computer
Basket Lift Option	Cost per Fryer Unit; (2) Basket Lifts.						Add per Fryer equipped	\$1,998
Banked Multi-Unit Option	<ul style="list-style-type: none"> • Single unit price + this price added for each unit in battery. • Fryer control styles CANNOT be mixed. • If mixed Basket Lift option is ordered, units with Lifts will be left- justified. 						Add to Sgl. Unit price for ea. added Unit	\$10,197 Computer

Large, Multi-Purpose Electric: Single -or- Banked; Computer Control Only



Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
EOF-20 Single	22-3/4" [577 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	442 lbs [201 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	EOF-20 + Lift Option	\$17,850 w/o Lifts
EOF-20/20 2-Bank	44-1/8" [1121 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	715 lbs [324 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	2-Bank EOF-20/20 + Lift Option	\$30,385 w/o Lifts
EOF-20/20/20 3-Bank	65-9/16" [1665 mm]	41-13/16" [1062 mm]	48 3/4" [1239 mm]	1005 lbs [456 kg]	Per Unit 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Per Fryer Shortening: 115 lbs. [32 kg] Product: Chicken - 27 - 30 lbs [12 - 14 kg]	3-Bank EOF-20/20/20 + Lift Option	\$42,951 w/o Lifts
Basket Lift Option	Add per Fryer equipped; (2) Lifts per.						Add per Fryer	\$1,998

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective February 3, 2020

Multi-Purpose, Square-Vat Electric Fryers - Continued

Extra-Large, Multi-Purpose Electric: Banked Only; Computer Control Only



EOF 10-10/20



EOF 20/FFLT/24
EOF 10-10/FFLT/24



EOF 20/FFLT/24/24
EOF 10-10/FFLT/24/24



EOF 20/24/24

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
EOF 10-10/20	42-1/2" [1080 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	904 lbs [410 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-20) 115 lbs [32 kg]	2-Fryer Bank 3 Vats NO Landing Table	\$32,651
EOF 20/FFLT/24	73-1/2" [1867 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1069 lbs [485 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480V / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	2-Fryer Bank w/Landing Table	\$33,187 (208V) \$33,681 (480V)
EOF 20/FFLT/24/24	98-13/16" [2510 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1311 lbs [595 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480V / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank w/Landing Table	\$44,321 (208V) \$44,784 (480V)
EOF 10-10/FFLT/24 (Split Vat)	73-1/2" [1867 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1069 lbs [485 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-24) 208V / 3-Ph / 100A 480V / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-24) 170 lbs [77 kg]	2-Fryer Bank 3 Vats w/Landing Table	\$37,317 (208V) \$37,533 (480V)
EOF 10-10/FFLT/24/24 (Split Vat)	93-13/16" [2510 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1311 lbs [595 kg]	(EOF-10-10) 208V / 3-Ph / 68A 480V / 3-Ph / 31A 12,000 W (EOF-24) 208V / 3-Ph / 100A 480V / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-10-10) 55 lbs [25 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank 4 Vats w/Landing Table	\$48,740 (208V) \$49,193 (480V)
EOF-20/24/24	72" [1829 mm]	42-5/8" [1083 mm]	48-3/4" [1239 mm]	1250 lbs [567 kg]	(EOF-20) 208V / 3-Ph / 76A 480V / 3-Ph / 33A 24,000 W (EOF-24) 208V / 3-Ph / 100A 480V / 3-Ph / 37A 30,000 W	Shortening Per Vat (EOF-20) 115 lbs [32 kg] (EOF-24) 170 lbs [77 kg]	3-Fryer Bank NO Landing Table	\$42,189 (208V) \$42,611 (480V)

Note: Power requirements and capacities are stated for each cook vat.

A separate power service and disconnect must be provided for each Fryer unit in a Banked System.

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Responsive. Reliable.

Equipment Price List

Effective February 3, 2020

Round Kettle Fryers - Electric



GEF-Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How To Specify	Price
GEF-400	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs [197 kg]	10,000 W 208V / 60Hz / 1Ph / 48A 240V / 60Hz / 1Ph / 42A 208V / 60Hz / 3Ph / 28A 240V / 60Hz / 3Ph / 24A 220V / 60Hz / 3Ph / 25A 380-415V / 50Hz / 3Ph / 14A	Shortening: 45 lbs [21 kg] Product: Chicken Pieces 14 lbs. [6 kg]	Medium Capacity Chicken Fryer	\$12,980
GEF-560	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs [197 kg]	15,000 W 208V / 60Hz / 1Ph / 72A 240V / 60Hz / 1Ph / 63A 208V / 60Hz / 3Ph / 43A 240V / 60Hz / 3Ph / 38A 220V / 60Hz / 3Ph / 38A 380-415V / 50Hz / 3Ph / 21A	Shortening: 60 lbs [27 kg] Product: Chicken Pieces 19 lbs. [9 kg]	Intermediate Capacity Chicken Fryer	\$13,550
GEF-720	25-1/16" [612 mm]	38-7/8" [988 mm]	43-7/16" [1104 mm]	435 lbs 197 kg	20,400 W 208V / 60Hz / 3Ph / 58A 240V / 60Hz / 3Ph / 49A 220V / 60Hz / 3Ph / 49A 480V / 60Hz / 3Ph / 25A 380-415V / 50Hz / 3Ph / 28A	Shortening: 75 lbs [34 kg] Product: Chicken Pieces 24 lbs. [11 kg]	Large Capacity Chicken Fryer	\$14,550

Round Kettle Fryers - Gas



GGF-Series

Model	Width	Depth	Height	Shipping Weight	Utility Specifications	Capacity	How to Specify	Price
GGF-400	24-3/8" [619 mm]	42-1/8" [1070 mm]	44-1/8" [1120 mm]	390 lbs. [177 kg]	Electrical: 120V / 60Hz / 1Ph / 7A Gas: Nat - 45,000 BTU @ 3.5"WC LP - 45,000 BTU @ 10.5"WC	Shortening: 45 lbs [21 kg] Product: Chicken Pieces 14 lbs. [6 kg]	Medium Round Pot Gas Fryer 45,000 BTU	\$15,260
GGF-720	24-3/8" [619 mm]	42-1/8" [1070 mm]	44-1/8" [1120 mm]	390 lbs. [177 kg]	Electrical: 120V / 60Hz / 1Ph / 7A Gas: Nat - 85,000 BTU @ 3.5"WC LP - 85,000 BTU @ 10.5"WC	Shortening: 75 lbs [34 kg] Product: Chicken Pieces 24 lbs. [11 kg]	Large Round Pot Gas Fryer 85,000 BTU	\$16,170

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA
Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537
Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.

Equipment Price List

Effective February 3, 2020

Multi-Purpose, Square-Vat Ventless Fryers



GBF-50D-VH



WOG-MP-VH

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GBF 50D-VH	24-1/4" 616 mm	36-13/16" 935 mm	85" 2159 mm	620 lbs 281 kg	208/240V 3-Ph = 54/47A 18,000W 380/415V 3-Ph = 27/29.5A 15,000/18,000W	50 lbs/ 22.7 kg shortening 5 lbs Fries 12 lbs Chckn	Small Capacity Open Vat Ventless Fryer	\$25,022 Computer Control ONLY
WOG MP-VH	24-1/8" 613 mm	33-7/16" 849 mm	84" 2133 mm	602 lbs 274 kg	208/240V 3-Ph, 58/50A 50/60 Hz 20,400 Watts	70 lbs of shortening 32 kg	Large, open, ventless fryer	\$26,387 Computer Control ONLY

*** Prices subject to change without notice.**

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Responsive. Reliable.

Equipment Price List

Effective February 3, 2020

Round Kettle, Ventless Fryer - Electric



GEF-VH Series

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GEF 400-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph = 50/44A 208/240V, 3-Ph = 30/26A 220V, 3-Ph = 26A 380/415V, 3-Ph = 15/15A 10,400W	14lb/6kg of chicken 45 lbs of shortening 21 kg	Medium Capacity Round Pot Ventless Fryer	\$24,232
GEF 560-VH	24-1/4" 616mm	41-13/16" 1062mm	84" 2133mm	720 lbs 327 kg	208/220/240 & 380/415V 50/60 Hz 208/240V, 1-Ph = 75/64A 208/240V, 3-Ph = 44/38A 220V, 3-Ph = 38A 380/415V, 3-Ph = 21/22A 15,400W	19lb/9kg of chicken 60 lbs of shortening 27 kg	Intermediate Capacity Round Pot Ventless Fryer	\$25,770

Multi-Purpose, Double-Well, Ventless Fryer - Electric



GBF-2-GVH

Model	Width	Depth	Height	Shipping Weight	Electrical Specifications	Capacity	How to Specify	Price
GBF-2-50-GVH Computer Control	32 -15/16" 837 mm	35-1/2" 825 mm	82-1/2" 2095 mm	913 lbs. (414 kg.)	Per Fryer Unit 208/240/380/415 V ; 50-60 Hz 3-Ph: 53/46/43/46 A ; 18,000 W 1-PH NOT AVAILABLE	Per Well Shortening: 50 lbs. (22.7 kg) Product: Fries = 5 lbs Chicken = 12 lbs	Double Open Vat Ventless Fryer	\$40,970
Auto Basket Lift Option	Additional per Fryer Unit.						Per Fryer	\$1,998

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537





Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.


Equipment Price List

Effective February 3, 2020

Heated Merchandisers (Pans, Pan Grates & Self-Serve Tile Inserts Sold Separately)

	Model	Width	Depth	Height	Shipping Weight	Electrical Specs	Capacity	How To Specify	Price
 GHM4C	GHM-4C (3 Well) Full Serve	44-7/16" (1,124 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	489 lbs (222 kg)	208-240V, 1-Ph 60Hz	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$9,070
 GHM5C	GHM-4C (3 Well) Self-Serve [Full Width]	44-7/16" (1,124 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	489 lbs (222 kg)	208-240V, 1-Ph 60Hz	(3) 1/3-Size Pans (3) Full-Size Pans (**)	4-Ft Heated Merchandiser	\$9,070
 GHM6C	GHM-5C (4 Well) Full Serve	57-3/8" (1,449 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	520 lbs (236 kg)	208-240V, 1-Ph 60Hz	(4) 1/3-Size Pans (4) Full-Size Pans (**)	5-Ft Heated Merchandiser	\$10,290
 GHM8C	GHM-5C/2 (4 Well) Self-Serve [2 ft. Section]	57-3/8" (1,449 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	520 lbs (236 kg)	208-240V, 1-Ph 60Hz	(4) 1/3-Size Pans (4) Full-Size Pans (**)	5-Ft Heated Merchandiser	\$10,290
	GHM-6C (5 Well) Full Serve	70-5/16" (1,786 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	621 lbs (282 kg)	208-240V, 1-Ph 60Hz	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$11,360
	GHM-6C/2 (5 Well) Self-Serve [2-ft Section]	70-5/16" (1,786 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	621 lbs (282 kg)	208-240V, 1-Ph 60Hz	(5) 1/3-Size Pans (5) Full-Size Pans (**)	6-Ft Heated Merchandiser	\$11,360
	GHM-8C (7 Well) Full Serve	96-1/4" (2,445 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	818 lbs (371 kg)	208-240V, 1-Ph 60Hz	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$15,900
	GHM-8C/2 (7 Well) Self-Serve [2-ft Section]	96-1/4" (2,445 mm)	43-7/8" (1,115 mm)	28-13/16" (732 mm)	818 lbs (371 kg)	208-240V, 1-Ph 60Hz	(7) 1/3-Size Pans (7) Full-Size Pans (**)	8-Ft Heated Merchandiser	\$15,900

Heated Merchandiser Base

	Base Type	Width	Depth	Height	Shipping Weight	How To Specify	Price
 PUP Base W/Top Skirt	PUP-4 (For GHM-4C)	44-7/16" (1,124 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$1,780
	PUP-5 (For GHM-5C)	57-3/8" (1,449 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$2,040
	PUP-6 (For GHM-6C)	70-5/16" (1,786 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$2,340
	PUP-8 (For GHM-8C)	96-1/4" (2,445 mm)	40-1/8" (1,019 mm)	25-7/16" (645 mm)	Call Factory	GHM Base Option	\$2,860

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Responsive. Reliable.

Equipment Price List

Effective February 3, 2020

Food Prep & Support Equipment



Model	Width	Depth	Height	Shipping Weight	Capacity	How To Specify	Price
GOC	20" (508 mm)	17" (432 mm)	43-1/4" (1,099 mm)	67 lbs (29 kg)	80 lbs of Shortening (36 kg)	Oil Caddy	\$1,660
BBT-O Open-Cabinet Design	24" (610 mm)	30" (762 mm)	54-1/8" (1,375 mm)	195 lbs (88 kg)	Breading Pan: 20" x 12-13/16 x 8" Batter Dip Pan 20 x 13 x 6" Food Tote 18 x 26 x 6" Dunk Basket	BBT-O	\$2,870
LT	23-3/16" (590 mm)	26-5/16" (669 mm)	36-3/8" (924 mm)	35 lbs (16 kg)	N/A	Portable Landing Table Specify Racks or Shelf	\$1,100
LT-4 XPRESS-PEDITOR	23-3/16" (590 mm)	26-5/16" (669 mm)	36-3/8" (924 mm)	50 lbs (23 kg)	N/A	Multi-Functional Dump Station/ FIFO Control Cart	\$2,040
LT-4-C COUNTER-TOP XPRESS-PEDITOR	18-5/16" (465 mm)	26" (660 mm)	11-3/16" (284 mm)	40 lbs (18.1 kg)	N/A	Countertop Multi-Functional Dump Station/ FIFO Control	\$750

* Prices subject to change without notice.

GILES Food Service Equipment

ISO 9001-2015 Certified

2750 Gunter Park Drive West • Montgomery, AL 36109 USA

Phone 334.272.1457 • Fax 334.239.4117 • Phone Toll Free 800.554.4537

Website: www.gfse.com • Email: services@gfse.com

We reserve the right to change specifications and/or product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.