



PREFABET
BIELSKO-BIAŁA

premium

PROIZVOĐAČ NAJTOPLIJIH VRSTA POROZNOG BETONA



ušteda topline / energije



pouzdanost



najkonkurentnije cijene

TOPLINA STANOVANJA

Proizvodi



*Zidani blokovi, koji su osnovni građevni blokovi strukturnih zidova i pregrada.

*Također nudimo blokove u obliku slova U, što omogućuje izradu toplinskih nadvoja.

premium

42 x 24 x 49 cm *



42 x 24 x 49 cm *



42 x 24 x 49 cm *



*Blokovi 42, 36, 30, 24 su dostupni sa i bez utora

36 x 24 x 49 cm *



30 x 24 x 49 cm *



24 x 24 x 49 cm *



18 x 24 x 49 cm



15 x 24 x 49 cm



12 x 24 x 49 cm



10 x 24 x 49 cm




8 x 24 x 49 cm



6 x 24 x 49 cm



36 x 24 x 49 cm



30 x 24 x 49 cm



24 x 24 x 49 cm



Tehnički podaci:

Vrste	Gustoća na suho (kg/m ³)	Snaga (MPa)		Faktor provođenja topline λ_{DIO} (lambda) [W/m x K]	Maksimalni omjer U [W/m ² x K]			
		osušeni	6% vlažnost		debljina			
					42 cm	36 cm	30 cm	24 cm
600	550 ÷ 600	min. 5,0	min. 4,0	0,130	0,310	0,361	0,433	0,542
550	500 ÷ 550	min. 4,0	min. 3,0	0,120	0,286	0,333	0,400	0,500
450	400 ÷ 450	min. 2,5	min. 2,0	0,100	0,226	0,264	0,317	0,396

Logistika:

Raznovrsnost 450, 550, 600

		premium g***			premium pu***	
	dimenzije u cm	broj kom / paleta*	m ³	broj kom / paleta*	m ³	
1.	Blokovi 42 x 24 x 49	30	1,48	30	1,48	
2.	Blokovi 36 x 24 x 49	40	1,69	40	1,69	
3.	Blokovi 30 x 24 x 49	48	1,69	40	1,41	
4.	Blokovi 24 x 24 x 49	60	1,69	60	1,69	
5.	Blokovi 18 x 24 x 49	72	1,52	-	-	
6.	Ploča 15 x 24 x 49	96	1,69	-	-	
7.	Ploča 12 x 24 x 49	120	1,69	-	-	
8.	Ploča 10 x 24 x 49	144	1,69	-	-	
9.	Ploča 8 x 24 x 49	180	1,69	-	-	
10.	Ploča 6 x 24 x 49	240	1,69	-	-	
		broj kom / paleta*	m ³			
11.	Nadvoji 42 x 24 x 49	30	1,41	-	-	
12.	Nadvoji 36 x 24 x 49	30	1,27	-	-	
13.	Nadvoji 30 x 24 x 49	36	1,27	-	-	
14.	Nadvoji 24 x 24 x 49	36	1,27	-	-	

*S dimenzijama od 120 x 100 paleta

! Usporedba debljine pregrada izrađene iz poroznih betona (450 varijanta) konvencionalnog materijala. Potrebna toplinska vodljivost $U=0,29$ [W/m² x K]

armirani beton  debljina 36 cm

drvena građa  debljina 72 cm

puna opeka  debljina 220 cm

običan beton  debljina 3700 cm



PREFABET
BIELSKO-BIAŁA

BUKI PROMET d.o.o.

10040 Zagreb, Hrvatska

Klin 27-29

OIB: 55432563155

Tel.: 091 2722 309

098 9843 678

E-mail: bukipromet01@gmail.com

www.bukipromet-spr.com