

**Select References on Voice and Speech in Parkinson Disease
and Other Neurological Disorders by Ramig Fox Clinical Research Teams**
(Updated 11/2015)

1. Review Papers
2. Data-based articles evaluating the efficacy of the LSVT LOUD
3. Data-based articles describing voice, speech and communication in individuals with Parkinson disease
4. Books on neurological voice and speech disorders
5. Book chapters and review papers on neurological voice and speech disorders
6. Technology-enhanced delivery of treatment: LSVT Companion and LSVT eLOUD
7. Other papers of general interest
8. Abstracts published
9. LSVT LOUD Media and Treatment Materials
10. Relevant publications by others
11. LSVT BIG articles, Media and Treatment Materials

1. **Review Papers:**

Fox, C., Ebersbach, G., Ramig, L., & Sapir, S. (2012). LSVT LOUD and LSVT BIG: Behavioral treatment programs for speech and body movement in Parkinson disease. *Parkinson's Disease*, 2012, Article ID 391946, 12pgs.

Sapir, S., Ramig, L., & Fox, C. (2011). Intensive voice treatment in Parkinson's disease: Lee Silverman Voice Treatment (LSVT). *Expert Reviews in Neurotherapeutics*, 11(6), 815-830.

Fox, C., Morrison, C., Ramig, L., & Sapir, S. (2002). Current perspectives on the Lee Silverman Voice Treatment (LSVT®) *American Journal of Speech Language Pathology*. 11, 111-123.

2. **Data-based articles evaluating the efficacy of the LSVT® LOUD**

Boliek, C. & Fox, C. (2014). Individual and environmental contributions to treatment outcomes following a neuroplasticity-principled speech treatment (LSVT LOUD) in children with dysarthria secondary to cerebral palsy: a case study review. *International Journal of Speech-Language Pathology*, 16(4): 372–385.

Dumer, A. I., Oster, H., McCabe, D., Rabin, L. A., Spielman, J. L., Ramig, L. O., & Borod, J. C. (2014). Effects of the Lee Silverman Voice Treatment on Facial Expressivity in Parkinson's Disease. *Journal of the International Neuropsychological Society*. Mar;20(3):302-12.

Levy, E. S., Ramig, L. O., & Camarata, S. M. (2013). The effects of two speech interventions on speech function in pediatric dysarthria. *Journal of Medical Speech-Language Pathology*, 20(4). 82-27.

Fox, C.M., & Boliek, C.A. (2012). Intensive voice treatment (LSVT LOUD) for children with spastic cerebral palsy and dysarthria. *Journal of Speech Language Hearing Research*, 55, 930-945.

Hazan, H., Hilu, D., Manevitz, L., Ramig, L., & Sapir, S. (2012). Early diagnosis of Parkinson's disease via machine learning on speech data. 11/2012; DOI:10.1109/EEEI.2012.6377065 In proceeding of: 2012 IEEE 27th Convention of Electrical Electronics Engineers in Israel (IEEEI), Eilat, Israel.

- Mahler, L. & Jones, H.N. (2012). Intensive treatment of dysarthria in two adults with Down syndrome. *Developmental Neurorehabilitation*, 15, 44-53.
- Mahler, L. & Ramig, L.O. (2012). Intensive voice treatment of dysarthria secondary to stroke. *Journal of Clinical Linguistics and Phonetics*, 26, 681-694.
- Spielman, J., Mahler, L., Halpern, A., Gilley, P., Klepitskaya, O., & Ramig, L. (2011). Intensive Voice Treatment (LSVT®LOUD) for Parkinson's disease following Deep Brain Stimulation of the Subthalamic Nucleus. *Journal of Communication Disorders*, 44, 688-700. PMID: PMC3210871. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3210871/>
- Narayana, S., Fox, P.T., Zhang, W., Franklin, C., Robin, D.A., Vogel, D., & Ramig, L. (2010). Neural correlates of efficacy of voice therapy in Parkinson's disease identified by performance-correlation analysis. *Human Brain Mapping*, 31, 222-236.
- Sapir, S., Ramig, L., Spielman, J., & Fox, C. (2010). Formant Centralization Ratio (FCR): A proposal for a new acoustic measure of dysarthric speech. *Journal of Speech, Language and Hearing Research*, 53, 114-125. PMID: PMC2821466. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2821466/?tool=pubmed>
- Mahler, L., Ramig, L., & Fox, C. (2009). Intensive voice treatment (LSVT LOUD) for dysarthria secondary to stroke. *Journal of Medical Speech-Language Pathology*, 17(4), 165-182.
- Sapir, S., Spielman, J., Ramig, L., Story, B., & Fox, C. (2007). Effects of intensive voice treatment (LSVT®) on vowel articulation in dysarthric individuals with idiopathic Parkinson's disease: Acoustic and perceptual findings. *Journal of Speech Language and Hearing Research*, 50, 899-912.
- Spielman, J., Ramig, L., Mahler, L., Halpern, A., & Petska, J. (2007). Effects of LSVT Extended (LSVT-X) on Voice and Speech in Parkinson Disease. *American Journal of Speech, Language Pathology*, 16, 95-107.
- Fox, C., Ramig, L., Ciucci, M., Sapir, S., McFarland, D.H., & Farley, B. (2006). Science and Practice of LSVT/LOUD: Neural plasticity-principled approach to treating individuals with Parkinson disease and other neurological disorders. *Seminars in Speech and Language*, 27, 283-299.
- Huber, J., Stathopoulos, E., Ramig, L., & Lancaster, S. (2003). Respiratory function and variability in individuals with Parkinson disease: pre and post Lee Silverman Voice Treatment (LSVT®). *Journal of Medical Speech-Language Pathology*, 11(4), 185-201.
- Liotti, M., Vogel, D., Ramig, L., New, P., Cook, C., Ingham, R.J., Ingham, J.C., & Fox, P. (2003). Hypophonia in Parkinson's disease: neural correlates of voice treatment revealed by PET. *Neurology*, 60, 432-440.
- Sapir, S., Spielman, J., Countryman, S., Ramig, L., Hinds, S., Fox, C., & Story, B. (2003). Phonatory and articulatory changes in ataxic dysarthria following intensive voice therapy with the LSVT®: A single subject study. *American Journal of Speech-Language Pathology*, 12, 387-399.
- Spielman, J., Borod, J., & Ramig, L. (2003). Effects of intensive voice treatment (LSVT®) on facial expressiveness in Parkinson's disease: Preliminary Data. *Cognitive and Behavioral Neurology*. 16(3), 177-188.

- El-Sharkawi, A., Ramig, L., Logemann, J., Pauloski, B., Rademaker, A., Smith, C., Pawlas, A., Baum, S., & Werner, C. (2002). Swallowing and voice effects of Lee Silverman Voice Treatment: A pilot study. *Journal of Neurology, Neuropsychiatry, and Psychiatry*, 72(1), 31-36.
- Fox, C., Morrison, C., Ramig, L., & Sapir, S. (2002). Current perspectives on the Lee Silverman Voice Treatment (LSVT®). *American Journal of Speech-Language Pathology*, 11, 111-123.
- Sapir, S., Ramig, L., Hoyt, P., O'Brien, C., & Hoehn, M. (2002). Speech loudness and quality 12 months after intensive voice treatment (LSVT) for Parkinson's disease: a comparison with an alternative speech treatment. *Folia Phoniatrica*, 54, 296-303.
- Baumgartner, C., Sapir, S., & Ramig, L. (2001). Voice quality changes following phonatory- respiratory effort Treatment (LSVT®) versus respiratory effort treatment for individuals with Parkinson disease. *Journal of Voice*, 15(1), 105-114.
- Ramig, L., Sapir, S., Countryman S., Pawlas, A., O'Brien, C., Hoehn, M., & Thompson, L. (2001). Intensive voice treatment (LSVT®) for individuals with Parkinson disease: A two-year follow-up. *Journal of Neurology, Neurosurgery, and Psychiatry*, 71, 493-498.
- Ramig, L., Sapir, S., Fox, C., & Countryman, S. (2001). Changes in vocal intensity following intensive voice treatment (LSVT®) in individuals with Parkinson disease: A comparison with untreated patients and normal age-matched controls. *Movement Disorders*, 16, 79-83.
- Sapir, S., Pawlas, A., Ramig, L., Seeley, E., Fox, C., & Corboy, J. (2001). Effects of intensive phonatory-respiratory treatment (LSVT®) on voice in two individuals with multiple sclerosis. *Journal of Speech Language Pathology*, 9(2), 35-45.
- Countryman, S., Hicks, J., Ramig, L., & Smith, M. (1997). Supraglottal hyperadduction in an individual with Parkinson disease: A clinical treatment note. *American Journal of Speech-Language Pathology*, 6(4), 74-84.
- Ramig, L., Countryman, S., O'Brien, C., Hoehn, M., & Thompson, L. (1996). Intensive speech treatment for patients with Parkinson disease: Short and long-term comparison of two techniques. *Neurology*, 47, 1496-1504.
- Ramig, L., & Dromey, C. (1996). Aerodynamic mechanisms underlying treatment related changes in SPL in patients with Parkinson disease. *Journal of Speech and Hearing Research*, 39, 798-807.
- Dromey, C., Ramig, L., & Johnson, A.B. (1995). Phonatory and articulatory changes associated with increased vocal intensity in Parkinson disease: A case study. *Journal of Speech and Hearing Research*, 38, 751-764.
- Ramig, L., Countryman, S., Thompson, L., & Horii, Y. (1995). A comparison of two forms of intensive speech treatment for Parkinson disease. *Journal of Speech and Hearing Research*, 38, 1232-1251.
- Smith, M.E., Ramig, L., Dromey, C., Perez, K.S., & Samandari, R. (1995). Intensive voice treatment in Parkinson's disease: Laryngostroboscopic findings. *Journal of Voice*, 9, 453-459.
- Countryman, S., Ramig, L., & Pawlas, A. (1994). Speech and voice deficits in Parkinsonian Plus syndromes: Can they be treated? *Journal of Medical Speech-Language Pathology*, 2(3), 211-225.

Ramig, L., Bonitati, C.M., Lemke, J.H., & Horii, Y. (1994). Voice treatment for patients with Parkinson disease: Development of an approach and preliminary efficacy data. *Journal of Medical Speech-Language Pathology*, 2(3), 191-209.

Countryman, S., & Ramig, L. (1993). Effects of intensive voice therapy on voice deficits associated with bilateral thalamotomy in Parkinson's disease: A case study. *Journal of Medical Speech-Language Pathology*, 1, 233-250.

3. Data-based articles describing voice, speech and communication in individuals with Parkinson Disease

New AB, Robin DA, Parkinson AL, Eickhoff CR, Reetz K, Hoffstaedter F, Mathys C, Sudmeyer M, Grefkes C, Larson CR, Ramig LO, Fox PT, Eickhoff SB. (2015) The intrinsic resting state voice network in Parkinson's disease. *Hum Brain Mapp*. 2015 May; 36 (5):1951-62. PMID: 25627959

Tsanas A, Zañartu M, Little MA, Fox C, Ramig LO, Clifford GD. (2014). Robust fundamental frequency estimation in sustained vowels: detailed algorithmic comparisons and information fusion with adaptive Kalman filtering. *J Acoust Soc Am*. 2014 May;135(5):2885-901.

Tsanas, A., Little, M.A., Fox, C., Ramig, L.O. (January, 2014). Objective automatic assessment of rehabilitative speech treatment in Parkinson's disease, *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, Vol. 22(1), pp. 181-190.

Tsanas, A., Little, M.A., McSharry, P.E., Spielman, J., & Ramig, L.O. (2012). Novel speech signal processing algorithms for high-accuracy classification of Parkinson's disease. *IEEE Transactions on Biomedical Engineering*, 59(5), 1264-71. PMC Journal - In Process.

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2011). Nonlinear speech analysis algorithms mapped to a standard metric to achieve clinically useful quantification of average Parkinson's disease symptom severity. *Journal of the Royal Society Interface*, 8(59), 842-855. PMCID: PMC3104343.

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010). Accurate telemonitoring of Parkinson's disease progression by non-invasive speech tests. *IEEE Transactions on Biomedical Engineering*, 57, 884-893.

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010). Enhanced classical dysphonia measures and sparse regression for telemonitoring of Parkinson's disease progression. *IEEE Signal Processing*, 594-597.

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010). New nonlinear markers and insights into speech signal degradation for effective tracking of Parkinson disease symptom severity. *NOLTA*, 5-8.

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010). The reliability of internet-based assessment of persons with Motor Speech Disorders. *IEEE ICASSP 6*.

Goetz, C.G., Stebbins, G.T., Wolff, D., DeLeeuw, W., Bronte-Stewart, H., Elble, R., Hallett, M., Nutt, J., Ramig, L., Sanger, T., Wu, A.D., Kraus, P.H., Blasucci, L.M., Shamim, E.A., Sethi, K.D., Spielman, J., Kubota, K., Grove, A.S., Dishman, E., & Taylor, C.B. (2009). Testing objective measures of motor impairment in early Parkinson's disease: Feasibility study of an at-home testing device. *Movement Disorders*, 24(4), 551-556.

Little, M.A., McSharry, P.E., Hunter, E., Spielman, J., & Ramig, L. (2009). Suitability of dysphonia measurements for telemonitoring of Parkinson's disease. *IEEE Transactions on Biomedical Engineering*, 56 (4), 1015-1022. PMID:PMC3051371.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3051371/?tool=pubmed>

Quek, R., Harper, M.P., Haciahetoglu, Y., Chen, L., & Ramig, L. (2002). Speech pauses and gestural holds in Parkinsons Disease. *Proceedings of the Seventh International Conference on Spoken Language Processing*, 2485-2488.

Kleinow, J., Smith, A., & Ramig, L. (2001). Speech stability in Idiopathic Parkinson disease: Effects of rate and loudness manipulations. *Journal of Speech-Language-Hearing Research*, 44(5), 1041-1051.

Quek, F., Bryll, R., Harper M.P., Chen, L., & Ramig, L. (2001). Audio and vision-base evaluation of Parkinson's Disease from discourse video. *Proceedings of the IEEE International Symposium of Bio-Informatics and Bio-Engineering*, 245-252.

Sapir, S., Pawlas, A., Ramig, L., Countryman, S., O'Brien, C., Hoehn, M., & Thompson, L. (2001). Voice and Speech Abnormalities in Parkinson disease: relation to severity of motor impairment, duration of disease, medication, depression, gender and age. *Journal of Medical Speech Language Pathology*, 9(4), 213-226.

Luschei, E., Ramig, L., Baker, K., & Smith, M. (1999). Discharge characteristics of laryngeal single motor units during phonation in young and older adults and individuals with Parkinson disease. *Journal of Neurophysiology*, 81, 2131-2139.

Baker, K., Ramig, L., Luschei, E., & Smith, M. (1998). Thyroarytenoid muscle activity associated with hypophonia in Parkinson disease and aging. *Neurology*, 51, 6, 1592-1598.

Baker, K., Ramig, L., Johnson, A. B., & Freed, C. (1997). Preliminary voice and speech analysis following fetal dopamine transplants in 5 individuals with Parkinson disease. *Journal of Speech & Hearing Research*, 40, 615-626.

Fox, C., & Ramig, L. (1997). Vocal sound pressure level and self-perception of speech and voice in men and women with idiopathic Parkinson disease. *American Journal of Speech-Language Pathology*, 6, 85-94.

Perez, K., Ramig, L., Smith, M., & Dromey, C. (1996). The Parkinson larynx: Tremor and videolaryngostroboscopic findings. *Journal of Voice*, 10(4), 354-361.

King, J., Ramig, L., Lemke, J. H., & Horii, Y. (1994). Parkinson disease: Longitudinal changes in acoustic parameters of phonation. *Journal of Medical Speech-Language Pathology*, 2, 29-42.

Larson, K., Ramig, L., & Scherer, R.C., (1994). Acoustic and glottographic voice analysis during drug-related fluctuations in Parkinson's disease. *Journal of Medical Speech-Language Pathology*, 2(3), 227-239.

Ramig, L., & Gould, W.J. (1988). Speech characteristics in Parkinson's disease. *Neurologic Consultant*, 4(1), 1-8. New York: Lawrence Delia Corte Publications.

4. Books on neurological voice and speech disorders

Theodoros, D., & Ramig, L. (2011). *Communication and Swallowing in Parkinson's Disease*. San Diego, CA: Plural Publishing.

Blitzer, A., Brin, M., & Ramig, L. (2009). *Neurological Voice Disorders*. NYC: Thieme Medical, Inc.

5. Book chapters and review papers on neurological voice and speech disorders

Mahler LA, Ramig LO, Fox C. (2015). Evidence-based treatment of voice and speech disorders in Parkinson disease. *Curr Opin Otolaryngol Head Neck Surg*. 2015 Jun;23(3):209-15. PMID: 2594396615.

McNeill, D., Levy, E.T., Elena T., & Duncan, S. (in press). Gesture in discourse. In D. Schiffrin, D. Tannen, and H. Hamilton (Eds.), *The Handbook of Discourse Analysis, 2nd Edition*. Malden, MA: Wiley-Blackwell.

Ramig, L. & Fox, C. (2014). Voice treatment for Parkinson disease, In J. Stemple. *Voice Therapy, Clinical Case Studies 4th Edition*. San Diego, Plural Publishing.

Sapir, S. (2014). Multiple factors are involved in the dysarthria associated with Parkinson's disease: A review with implications for clinical practice and research. *Journal of Speech, Language, and Hearing Research*, 57, 1330-1343.

Smith, M. & Ramig, L. (2014). Neurological disorders and the voice. In J.S. Rubin, G. Korovin & R.T. Sataloff (Eds.), *Diagnosis and Treatment of Voice Disorders*. N.Y.: Igaku-Shoin.

Twaite, J.T., Murray, E.E., Creighton, J., Scorpio, K., McCabe, D., Uguru, O., Salim, G., Ramig, L.O., & Borod, J.C. (2014). *Aprosodia* (Update). In S. Gilman (Ed.), *MedLink Neurology*. San Diego, CA: MedLink Corporation. Available from MedLink Neurology Website, <http://www.medlink.com>. Submitted for publication and currently under revision.

Sapir, S., Ramig, L., & Fox, C. (2013). Speech therapy for Parkinson disease. In: R. Pfeiffer, M. Edabi, and Z.K. Wszolek (Eds.), *Parkinson's Disease 2nd Edition*. Boca Raton, FL: Taylor and Francis Group.

Fox, C.M., Ebersbach, G., Ramig, L., & Sapir, S. (2012). LSVT LOUD and LSVT BIG: Behavioral Treatment programs for speech and body movement in Parkinson disease. *Parkinson's Disease*, Article ID 391946, 12pgs.

Ramig L.O., & Fox C.M. (2012). The integral role of speech production in the science and treatment of Parkinson's disease. *Movement Disorders*, 27(7), 811-3.

Ciucci, M., Mahler, L., & McFarland, D. (2011). Swallowing disorders in Parkinson's disease. In: D. Theodoros and L. Ramig (Eds.), *Communication and swallowing in Parkinson disease* (pp. 199-223). Oxford, England: Plural Publishing.

McNeill, D., & Duncan, S. (2011). Gestures and growth points in language disorders. In J. Guendouzi, F. Loncke, and M. J. Williams (Eds.), *The Handbook of Psycholinguistic and Cognitive Processes: Perspectives in Communication Disorders*, (pp. 663-685). New York, Hove, East Sussex: Psychology Press, Taylor & Francis Group.

Ramig, L., Fox, C., & Sapir, S. (2011). Speech and voice disorders in Parkinson disease. In: W. Olanow, W. Stocchi and A. Lang (Eds.) *The Non-motor and non-dopaminergic Features of Parkinson disease* (pp.348-362). Oxford: Blackwell Publishing.

Sapir, S., Ramig, L., & Fox, C. (2011). Assessment and treatment of the speech disorder in Parkinson disease. In: D. Theodoros and L. Ramig (Eds.), *Communication and Swallowing in Parkinson disease*. San Diego, CA: Plural Publishing.

Carroll, T., Meyers, A., & Ramig, L. (2010). Laryngeal Manifestations of Parkinson disease. eMedicine from WebMD. Updated March 19, 2010. <http://emedicine.medscape.com/article/867345-overview>.

McCabe, D.L., Borod, J.C., Meltzer, E., Spielman, J., & Ramig, L.O. (2010). Masked facies in Parkinson's disease: Emotional and motoric factors, neuropathology, Duchenne smiling, and treatment. In: A. Freitas-Magalhaes (Ed.), *Emotional Expression: The Brain and the Face, Vol. 2* (pp. 3-41),. Porto, Portugal: University Fernando Pessoa Press.

Halfacre, M., Dumer, A., Alterescu, K., McCabe, D., Ramig, L., Spielman, J., & Borod, J. (2009). Facial expression in Parkinson disease: Neural Mechanisms. In: A. Freitas-Magalhaes (Ed.), *Emotional Expression: The Brain and the Face* (pp. 95-126). Porto: University of Fernando Pessoa Press.

McNeill, D., Quaeghebeur, L., & Duncan, S. (2009). IW—"the man who lost his body". In S. Gallagher and D. Schmickin (Eds.), *Handbook of Phenomenology and Cognitive Sciences*, (pp. 519-546). Berlin: Springer Verlag.

Ramig, L. (2009). Voice treatment for Parkinson disease. In: R. Branski and L. Sulica (Eds.), *Classics in Voice and Laryngology*. San Diego: Plural Publishing.

Ramig, L., & Fox, C. (2009). Voice treatment for Parkinson disease. In: J. Stemple and L.T. Fry (Eds.), *Voice Therapy, Clinical Case Studies 3rd edition*. San Diego, CA: Plural Publishing.

Sapir, S., Ramig, L., & Fox, C. (2009). Voice and speech treatment for neurological disorders. In: A. Blitzer, M. Brin, and L. Ramig (Eds.), *Neurological Voice Disorders*. New York City: Thieme Medical Publishers.

Duncan, S. (2008). Gestural imagery and cohesion in normal and impaired discourse. In: I. Wachsmuth, M. Lenzen, and G. Knoblich (Eds.), *Embodied Communication in Humans and Machines* (pp. 305-328). Oxford: Oxford University Press.

Fox, C., Ramig, L., Halpern, A., & Petska, J., & Mahler, L. (2008). A Speech Therapy Home Program for Patients with Parkinson's Disease. In: M. Trail, E. Protos, and E. Lai (Eds.), *Neurorehabilitation in Parkinson's Disease: An Evidence Based Treatment Model*. Thorofare, NJ : SLACK Inc. Professional Book Division.

Fox, C., Ramig, L., Sapir, S., Halpern, A., Petska, J. Farley, B., & Mahler, L. (2008). Voice and Speech Disorders in Parkinson Disease and their Treatment. In: M. Trail, E. Protos, and E. Lai (Eds.), *Neurorehabilitation in Parkinson's Disease: An Evidence Based Treatment Model*. Thorofare, NJ: SLACK Inc. Professional Book Division.

Mahler, L., Ciucci, M., Ramig, L., & Fox, C. (2008). Swallowing problems in Parkinson's disease. In: M. Trail, E. Protos, and E. Lai (Eds.). *Neurorehabilitation in Parkinson's disease: An evidence based treatment model* (pp. 279-294). Thorofare, NJ: SLACK Inc. Professional Book Division.

- Ramig, L.O., Fox, C., & Sapir, S. (2008). Speech treatment for Parkinson's disease. *Expert Review of Neurotherapeutics*, 8(2), 297-309.
- Sapir, S., Countryman, S., Ramig, L., & Fox, C. (2008). Voice, speech, and swallowing disorders. In: S. Factor and F. Weiner (Eds.), *Parkinson disease: Diagnosis and clinical management, second edition* (pp. 77-98). New York City: Demos Publishing.
- Sapir, S., Ramig, L. & Fox, C. (2008). Speech and swallowing disorders in Parkinson disease. *Current Opinion in Otolaryngology, Head & Neck Surgery*. 16, 205-210.
- Will, L., Ciucci, M., Ramig, L., & Fox, C. (2008). Swallowing Problems in Parkinson's Disease. In: M. Trail, E. Protos, and E. Lai (Eds.), *Neurorehabilitation in Parkinson's Disease: An Evidence Based Treatment Model*. Thorofare, NJ : SLACK Inc. Professional Book Division.
- Duncan, S., & Pedelty, L. (2007). Discourse focus, gesture, and disfluent aphasia. In S. D. Duncan, J. Cassell, and E. T. Levy (Eds.), *Gesture and the Dynamic Dimension of Language* (pp. 269-284). Amsterdam / Philadelphia: John Benjamins.
- Ramig, L. (2007). Voice Treatment for Individuals with Parkinson's Disease. *Perspectives on Gerontology*, 12(1), 2-11.
- Ramig, L., & Fox, C. (2007). Lee Silverman Voice Treatment. In: P. Auzou, V. Rolland Monnoury, S. Pinto, and C. Ozsancak (Eds.), *Les Dysarthries* (pp. 301-306). Marseille: Solal.
- Ramig, L., Fox, C., & Sapir, S. (2007). Speech, voice and swallowing in Parkinson disease. In W. Koller and E. Melamed (Eds.), *Handbook of Clinical Neurology: Parkinson's and Parkinsonian disorders* (pp. 385-399). Elsevier: United Kingdom.
- Sapir, S., Ramig, L., & Fox, C. (2007). Voice, speech and swallowing disorders in Parkinson disease and their treatment. In: R. Pahwa and K. Lyons (Eds.), *Therapy Parkinson's Disease. Fourth Edition, Revised and Expanded* (pp.449-471). New York City: Marcel Dekker, Inc.
- Abaza, M., & Spielman, J. (2006). The Larynx in Parkinson's Disease, In: A. Merati and S. Bielaowicz (Eds.), *Textbook of Laryngology* (pp. 239-246). New York City: Plural Publishing.
- Carroll, T., Meyers, A., & Ramig, L. (2006). Laryngeal Manifestations of Parkinson Disease. *EMedicine Journal [serial online]*. Available at: <http://www.emedicine.com/ent/topic797.htm>.
- Sapir, S., Ramig, L., & Fox, C. (2006). The Lee Silverman Voice Treatment [LSVT®] for Voice, Speech, and Other Orofacial Disorders in People with Parkinson's Disease. *Future Neurology*, 1, 563-570.
- Trail, M., Fox, C., Ramig, L.O., Sapir, S., Howard, J., & Lai, E.C. (2005). Speech treatment for Parkinson's disease. *NeuroRehabilitation*, 20, 205-221.
- Brin, M., Vilecovic, M., Ramig, L., & Fox, C. (2004). Dysphonia due to Parkinson disease: Pharmacological, Surgical and Behavioral Management Perspectives. In: J. Casper and C. Sapienza (Eds.), *Vocal Rehabilitation in Medical Speech-Language Pathology* (pp. 209-269). Austin: Pro-Ed.

- Ramig, L., Fox, C., & Sapir, S. (2004). Parkinson's disease: speech and voice disorders and their treatment with the Lee Silverman Voice Treatment (LSVT®). *Seminars in Speech and Language, 25*(2), 169-180.
- Ramig, L., Countryman, S., Fox, C., & Sapir, S. (2001). Speech, voice and swallowing disorders. In: S. Factor and F. Weiner (Eds.), *Parkinson Disease: Diagnosis and Clinical Management* (pp. 75-87). New York: Demos Publishing.
- Ramig, L., Countryman, S., Fox, C., & Sapir, S. (2001). Troubles et reeducation de la voix, de la parole et de la deglutition dans la maladie de Parkinson. In: P. Auzou, C. Ozsancak, and V. Brun (Eds.), *Les Dysarthries* (pp. 257-274). Masson, Paris.
- Ramig, L. (2000). Voice problems of speakers with dysarthria. In: M. Freeman and M. Fawcus (Eds.), *Voice Disorders and their Management* (pp. 156-171). London: Whurr Publishers.
- Ramig, L. (2000). Voice Treatment for Parkinson disease. In: J. Stemple (Ed.), *Voice Therapy* (pp. 76-84). San Diego: Singular.
- Ramig, L. (1998). Treatment of Speech and Voice Problems Associated with Parkinson's Disease. *Topics in Geriatric Rehabilitation. Facilitating Communication in the Older Person, 14*(2), 28-43.
- Ramig, L. (1996). Neurological disorders of the voice. In: W. Brown, B. Vinson, and M. Crary, M. (Eds.), *Organic Voice Disorders: Assessment and Treatment, A Tribute to G. Paul Moore* (pp. 323-343). San Diego: Singular Press.
- Ramig, L. (1995). Speech therapy for patients with Parkinson's disease. In: W. Koller and G. Paulson (Eds.), *Therapy of Parkinson's Disease* (pp. 539-548). New York: Marcel Dekker, Inc.
- Ramig, L. (1995). Voice treatment for neurological disorders of the larynx. *Current Opinion in Otolaryngology Head and Neck Surgery, 3*, 174-182.
- Smith, M., & Ramig, L. (1995). Neurologic disorders and the voice. In: W. Gould, J. S. Rubin, G. Korovin, and R. Sataloff (Eds.), *Diagnosis and Treatment of Voice Disorders* (pp. 203-224). Igaku-Shoin.
- Brin, M.F., Fahn, S., Blitzer, A., Ramig, L., & Stewart, C. (1992). Movement disorders of the larynx. In: A. Blitzer, M. Brin, C. Sasaki, S. Fahn, and K. Harris (Eds.), *Neurologic Disorders of the Larynx* (pp. 248-278). New York: Thieme Medical Publishing, Inc.
- Ramig, L. (1992). The role of phonation in speech intelligibility: a review and preliminary data from patients with Parkinson's disease. In: R. D. Kent (Ed.), *Intelligibility in Speech Disorders: Theory, Measurement, and Management* (pp. 119-156). Amsterdam: John Benjamin.
- Ramig, L., & Scherer, R. (1992). Speech therapy for neurologic disorders of the larynx. In: A. Blitzer, M. F. Brin, C. T. Sasaki, S. Fahn, and K. S., Harris (Eds.), *Neurologic Disorders of the Larynx* (pp. 163-181). New York: Thieme Medical Publishers, Inc.

6. Technology-enhanced delivery of treatment: LSVT Companion and LSVT eLOUD

Halpern, A., Ramig, L., Matos, C., Petska-Cable, J., Spielman, J., Pogoda, J., Gilley, P., Sapir, S., Bennett, J., & McFarland, D. (2012). Innovative Technology for the Assisted Delivery of Intensive Voice

Treatment (LSVT®LOUD) for Parkinson Disease. *American Journal of Speech-Language Pathology*, 21(4), 354-367. This article was awarded the 2012 Editors' Award for the *American Journal of Speech-Language Pathology*.

Theodoros, D., & Ramig, L. (2011). Telepractice supported delivery of LSVT®LOUD. *Seminars in Speech and Language Pathology*, 21(3), 107-119.

Cole, R., Halpern, A., Ramig, L., Van Vuuren, S., Ngampatipatpong, N., & Yan, J. (2006). A Virtual Speech Therapist for Individuals with Parkinson's Disease. *Educational Technology*, V 47 (1), 51-55.

7. Other papers of general interest

Levy, E. S., Leone, D., Moya-Gale, G., Hsu, S.-C., Chen, W., & Ramig, L. O. (in press). Vowel Intelligibility in Children with Dysarthria due to Cerebral Palsy: An exploratory study. *Communication Disorders Quarterly*.

Miller, JE, Hafzalla, GW, Burkett, ZD, Fox, CM, White, SA. (2015). Reduced vocal variability in a zebra finch model of dopamine depletion: implications for Parkinson disease. *Physiol Rep*, 3 (10), 2015, e12599.

Grant, L.M., Richter, F.R., Miller, J.E., White, S.A., Fox, C.M., Zhu, C., Chesselet, M.F., Ciucci, M.R. (2014). Vocalization deficits in mice over-expressing alpha-synuclein, a model of pre-manifest Parkinson's disease. *Behavioral Neuroscience*, 128(2), 110-121.

Pick, L., Meltzer, E., & Borod, J. (2013). The neuropsychology of emotion recognition. In H. Pashler, T. Crane, F. Ferreira, M. Kinsbourne, & R. Zemel (Eds.), *The encyclopedia of the mind*. Thousand Oaks, CA: Sage Publications.

Murray, E. M., Krause, W., Stafford, R., Bono, A., Meltzer, E., & Borod, J. C. (2012). Asymmetry of facial expressions of emotion. In M. K. Mandal & A. Awasthi (Eds.) *Facial Expression of Emotion: Perspectives from Social, Biological and Computational Sciences*. New Delhi, India: Springer.

McCabe, D., Creighton, J., Twaite, J.T., Teague, E.B., Spielman, J., Scorpio, K., Goldstein, M., Ramig, L.O., & Borod, J.C. (2012). Apraxia. In: S. Gilman (Ed.), *MedLink Neurology*. San Diego, CA: MedLink Corporation.

Ferrone, C., Galgano, J., & Ramig, L. (2011). Impact of extended voice use on acoustic characteristics of phonation following training and performance of the LaMaMa experimental Theatre Company. *Journal of Voice*. 25(3), e123-137.

McCabe, D., Creighton, J., Twaite, J. T., Teague, E. B., Goldstein, M., & Borod, J. C. (2010, February 17). Apraxia. In S. Gilman (Editor-in-Chief), *MedLink Neurology*. San Diego, CA: MedLink Corporation. Available from MedLink Neurology Website, <http://www.medlink.com>.

Frisina, P. G., Borod, J., Foldi, N. S., & Tenenbaum, H. R. (2008). Depression in Parkinson's disease: Health risks, etiology, and treatment options. *Neuropsychiatric Disease and Treatment*, 4, 81-91.

Ciucci, M.R., Ma, T.S., Fox, C.M., Kane, J., Ramig, L., & Schallert, T. (2007). Qualitative changes in ultrasonic vocalization in rats after unilateral dopamine depletion or haloperidol: A preliminary study. *Behavioural Brain Research*, 182, 284-289.

McFarland, D.H. & Tremblay, P. (2006). Clinical implications of cross-system interactions. *Seminars in Speech and Language*, 27, 300-309.

Baker, K., Ramig, L., Sapir, S., Luschei, E. & Smith, M. (2001). Control of voice intensity and frequency in young and older adults. *Journal of Speech, Language, Hearing Research*, 44(2), 297-305.

Ramig, L., Gray, S., Baker, K., Corbin-Lewis, K., Buder, E., Luschei, E., Coon, H., & Smith, M. (2001). The aging voice: a review, treatment data and familial and genetic perspectives. *Folia Phoniatrica et Logopaedica*, 53(5), 252-265.

Dromey, C., & Ramig, L. (1998). The effect of lung volume on selected phonatory and articulatory variables. *Journal of Speech, Language, and Hearing Research*, 41, 491-502.

Dromey, C., & Ramig, L. (1998). Intentional changes in sound pressure level and rate: Their impact on measures of respiration, phonation, and articulation. *Journal of Speech, Language, and Hearing Research*, 41, 1003-1018.

Ramig, L., & Verdolini, K. (1998). Treatment efficacy: Voice disorders. *Journal of Speech- Language and Hearing Research*, 41(1), S101-S116.

Ramig, L., & Verdolini, K. (1997). The efficacy of voice therapy. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 5, 153-160.

Busenbark, K., Ramig, L., Dromey, C., & Koller, W. (1996). Methazolamide for essential voice tremor. *Neurology*. 47,1331-1332.

8. Abstracts published

Boliek, C.A., Bakhtiari, R., Reed, A.J., Major, B.J., Cribben, I., Gynane, H.H.M., Jaswal, A., Bremmekamp, D., Fox, C.M., Chouinard, B., Cummine, J. (2015). Neural and physiological changes following intensive voice therapy in children with motor speech disorders secondary to cerebral palsy. *Movement Disorders*, Vol. 30, Suppl 1, p. S205.

Fox, C.M., Boliek C.A. (2015). Technology-enhanced maintenance practice following intensive voice therapy (LSVT LOUD) in children with cerebral palsy and dysarthria. *Movement Disorders*, Vol. 30, Suppl 1, p. S205.

Halpern, AE, Ramig, LO, Peterson, E (2015). LSVT LOUD voice treatment: Training normal healthy loudness with good quality. *Movement Disorders*, Vol. 30, Suppl 1, p. S89.

Ramig, L.A., Levy, E.S., Fox, C.M., Halpern, A., Spielman, J., Moya-Gale, G., Goudarzi A. (2015). Impact of LSVT LOUD and LSVT ARTIC on speech intelligibility in Parkinson's disease. *Movement Disorders*, Vol. 30, Suppl 1, p. S112.

L.A. Ramig, L.A., Fox, C.M., Halpern, A.E., Spielman, J.L., Freeman, K. (2014). Randomized clinical trial (RCT) of speech and voice treatment for Parkinson's disease. *Movement Disorders*, Vol. 29, Suppl 1, p. S260.

- Dumer, A.I., Meltzer, E.P. Murray, E.M. Stafford, R., Rabin, L.A., Oster, H., Spielman, J.L., Ramig, L.O., Borod, J.C. (2013). The effects of the Lee Silverman voice treatment (LSVT) on observers' perceptions of individuals with Parkinson's disease. *Movement Disorders* Vol. 28, Suppl 1, p. S137.
- Hefferon, T., Fox, C.M., Ramig, L.O., Mishko, H. (2013). The impact of intensive physical therapy (LSVT BIG) in young onset, de novo Parkinson's disease: A case study. *Movement Disorders* Vol. 28, Suppl 1, p. S137.
- Tsanas, A., Little, M.A., Fox, C., Ramig, L.O. (2013). Automatic grouping of acceptable or unacceptable vocalizations in people with Parkinson disease". *Movement Disorders*, Vol. 28, S125.
- Boliek, C.A., Nip, I., & Fox, C.M. (Oct. 2012). Respiratory, laryngeal and articulatory behaviours during speech and non-speech tasks in children with cerebral palsy: new evidence of function from cutting edge research methodologies. *Developmental Medicine and Child Neurology*, 54, 19.
- Fox, C.M., Ramig, L.O, McFarland, D., Halpern, A. (2012). Telehealth delivery of software-enhanced speech therapy for Parkinson's disease. *Movement Disorders*, Vol. 27, Suppl. 1, p. 270.
- Boliek, C., & Fox, C. (Oct. 2011). Neural and physiological correlates of intensive voice treatment in children with dysarthria secondary to cerebral palsy: Evidence from respiratory kinematics and trunk muscle EMG. *Developmental Medicine and Child Neurology*, 53, 70.
- Dumer, A., Borod, J.C., Oster, J., Spielman, J.L., Rabin, L.A., & Ramig, L.O. (2011). Reduction of facial movement deficits in Parkinson's Disease (PD) after Lee Silverman Voice Treatment (LSVT). *Movement Disorders*, 26(S2), S101.
- Halpern, A., Spielman, J., Ramig, L, Panzer, I., Sharpley, A., & Gustafson, H. (2011). A novel way to measure speech intelligibility in individuals with Parkinson's disease. *Movement Disorders*, 26 (S2), S111.
- Boliek, C.A., Fox, C.M., Norton, J., Gan, L., Archibald, E., Knuttila, E., Rosborough, C., & L'Abbe, A. (2009). Changes in trunk muscle activation and respiratory kinematics during speech following Intensive voice treatment (LSVT LOUD) for children with spastic cerebral palsy. *Movement Disorders*, 24, S450.
- Borod, J.C., Rogers, K., Spielman, J., Halfacre M., McCabe, D., Flanagan, T., & Ramig, L. (2008). Emotional experience and expression in Parkinson's disease (PD). *Movement Disorders*, 23(1), S287.
- Fox, C.M., Boliek, C.A., Namdaran, N., Nickerson, C., Gardner, B., Piccott, C., Histad, J., & Archibald, T. (2008). Intensive voice treatment (LSVT) for children with spastic cerebral palsy. *Movement Disorders*, 23, S378.
- Goetz, C.G., Stebbins, G.T., Wolff, D.J., DeLeeuw, W., Bronte-Stewart, H., Elble, R.J., Hallett, M., Nutt, J.G., Ramig, L.A., Sanger, T.D., Wu, A.D., Kraus, P.H., Blasucci, L.M., Shamim, E.A., Sethi, K.D., Spielman, J., Kubota, K., Grove, A.S., & Taylor, C.B. (2008). Objective at-home testing measures as predictors of UPDRS change in early Parkinson's disease (PD). *Movement Disorders*, 23 (1), S354.
- Mahler, L.A., Ramig, L.O., Spielman, J., & Halpern, A. (2008). Effects of LSVT® on four participants with PD who received deep brain stimulation. *Movement Disorders*, 23 (1), S286.
- Halpern, A., Spielman, J., Ramig, L., Cable, J., Panzer, I., & Sharpley, A. (2007). The effects of loudness and noise on speech intelligibility in Parkinson's disease. *Movement Disorders*, 22 (Suppl. 16), p S106.

Spielman J., Halpern A., Ramig L., & Fox, C. (2007). Studying emergence of behavioral changes during one month of intensive voice treatment (LSVT) in a person with Parkinson's disease. *Movement Disorders*, 22 (Suppl. 16), p S181-182.

Fox, C.M., Boliek, C.A., & Ramig, L. (2005). The impact of intensive voice treatment (LSVT) on speech intelligibility in children with spastic cerebral palsy. *Movement Disorders*, 20(10), S149.

9. LSVT LOUD Media and Treatment Resources

**Tripoliti, E. (2013). Speech and Deep Brain Stimulation Online Course. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ciucci, M. & McFarland, D. (2012). Swallowing and Parkinson Disease Online Course. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ramig, L., & Fox, C. (2010). Online LSVT LOUD Training and Certification Workshop. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ramig, L. & Fox, C. (2008). *LSVT LOUD® 101. A DVD introduction to LSVT LOUD: Theory and Practice*. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website).

Fox, C. & Ramig, L. (2003). *LSVT LOUD® Homework Helper: Speech Exercises for People with Parkinson disease*. A videotape of home exercises for people with Parkinson disease. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

10. Relevant LSVT LOUD papers by Other Research Groups

Sale P, Castiglioni D, De Pandis MF, Torti M, Dall'armi V, Radicati FG, Stocchi F. The Lee Silverman Voice Treatment (LSVT®) speech therapy in progressive supranuclear palsy. *Eur J Phys Rehabil Med*. 2015 Oct;51(5):569-74. PMID: 26138088

Sauvageau VM, Roy JP, Langlois M, Macoir J. Impact of the LSVT on vowel articulation and coarticulation in Parkinson's disease. *Clin Linguist Phon*. 2015 Jun;29(6):424-40. PMID: 25688915

Levy, E.S. (2014). Implementing two treatment approaches to childhood dysarthria. *International Journal of Speech-Language Pathology*. 16(4):344-54.

Lu FL, Presley S, Lammers B. (2013). Efficacy of intensive phonatory-respiratory treatment (LSVT) for presbyphonia: two case reports. *Journal of Voice*, 27(6):786.e11-23.

Mahler LA, Jones HN. (2014). Intensive treatment of dysarthria in two adults with Down syndrome. *Developmental Neurorehabilitation*, 15(1):44-53.

Cannito MP, Suiter DM, Beverly D, Chorna L, Wolf T, Pfeiffer RM. (2012). Sentence intelligibility before and after voice treatment in speakers with idiopathic Parkinson's disease. *Journal of Voice*, 26(2):214-9.

Whitehill TL, Kwan L, Lee FP, Chow MM. (2011). Effect of LSVT on Lexical Tone in Speakers with Parkinson's Disease. *Parkinsons Disease*, 897494.

Constantinescu G, Theodoros D, Russell T, Ward E, Wilson S, Wootton R. (2011). Treating disordered speech and voice in Parkinson's disease online: a randomized controlled non-inferiority trial. *International Journal of Language and Communication Disorders*, 46(1):1-16.

Wenke RJ, Cornwell P, Theodoros DG. (2010). Changes to articulation following LSVT(R) and traditional dysarthria therapy in non-progressive dysarthria. *International Journal of Speech-Language Pathology*. 2010 Jun;12(3):203-20.

Constantinescu GA, Theodoros DG, Russell TG, Ward EC, Wilson SJ, Wootton R. (2010). Home-based speech treatment for Parkinson's disease delivered remotely: a case report. *Journal of Telemedicine and Telecare*, 16(2):100-4.

Wenke RJ, Theodoros D, Cornwell P. (2010). Effectiveness of Lee Silverman Voice Treatment (LSVT) on hypernasality in non-progressive dysarthria: the need for further research. *International Journal of Language and Communication Disorders*. 2010 Jan-Feb;45(1):31-46.

Tindall LR, Huebner RA, Stemple JC, Kleinert HL. (2008). Videophone-delivered voice therapy: a comparative analysis of outcomes to traditional delivery for adults with Parkinson's disease. *Telemedicine and E-Health*. 2008 Dec;14(10):1070-7.

Howell S, Tripoliti E, Pring T. (2009). Delivering the Lee Silverman Voice Treatment (LSVT) by web camera: a feasibility study. *International Journal of Language and Communication Disorders*. 2009 May-Jun;44(3):287-300.

Wenke RJ, Theodoros D, Cornwell P. (2008). The short- and long-term effectiveness of the LSVT for dysarthria following TBI and stroke. *Brain Injury*. Apr;22(4):339-52.

Whitehill TL, Wong LL. (2007). Effect of intensive voice treatment on tone-language speakers with Parkinson's disease. *Clinical Linguistics and Phonetics*.;21(11-12):919-25.

11. LSVT BIG Publications, Media and Treatment Materials

Publications (**Publications by other research groups):

**Bloem, B.R., de Vries, N.M., Ebersbach, G. (2015). Nonpharmacological treatments for patients with Parkinson's disease. *Movement Disorders Vol. 15*;30(11):, pp.1504-20.

**Ebersbach G, Grust U, Ebersbach A, Wegner B, Gandor F, Kuhn AA. Amplitude-oriented exercise in Parkinson's disease: a randomized study comparing LSVT-BIG and a short training protocol. *J Neural Transm*. 2014 May 29. [Epub ahead of print]

**Janssens J, Malfroid K, Nyffeler T, Bohlhalter S, Vanbellinghen T. Application of LSVT BIG intervention to address gait, balance, bed mobility, and dexterity in people with Parkinson disease: a case series. *Phys Ther*. 2014 Jul; 94(7):1014-23.

**Ebersbach G, Ebersbach A, Gandor F, Wegner B, Wissel J, Kupsch A. Impact of physical exercise on reaction time in patients with Parkinson's disease-data from the Berlin BIG Study. Arch Phys Med Rehabil. 2014 May; 95(5):996-9.

Fox, C., Guse, L., Tuccitto, J. & Ramig, L. (2013). Online LSVT BIG Certification Renewal. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Fox C, Ebersbach G, Ramig L, Sapir S. LSVT LOUD and LSVT BIG: Behavioral Treatment Programs for Speech and Body Movement in Parkinson Disease. Parkinsons Dis. 2012; 2012:391946. Epub 2012 Mar 15.

**Ebersbach, G., Ebersbach, A., Edler, D., Kaufhold, O., Kusch, M., Kupsch, A., & Wissel, J. (2010). Comparing exercise in Parkinson's disease--the Berlin LSVT®BIG study. Movement Disorders, 25, 2478.

Farley, B.G., Fox, C.M., Ramig, L.O., & McFarland, D. (2008). Intensive amplitude-specific therapeutic approaches for Parkinson disease: Toward a neuroplasticity-principled rehabilitation model. Topics in Geriatric Rehabilitation, 24(2), 99-114.

**Farley, B.G., & Koshland, G.F. (2005). Training BIG to move faster: the application of the speed-amplitude relation as a rehabilitation strategy for people with Parkinson's disease. Experimental Brain Research, 167(3), 462-7.

Fox, C., Ramig, L., Ciucci, M., Sapir, S., McFarland, D.H., & Farley, B. (2006). Science and Practice of LSVT/LOUD: Neural plasticity-principled approach to treating individuals with Parkinson disease and other neurological disorders. Seminars in Speech and Language, 27, 283-299.

Media and Treatment Resources:

Fox, C., Guse, L., Tuccitto, J. & Ramig, L. (2013). LSVT BIG Homework Helper: Exercises for People with Parkinson disease. The official DVD of LSVT BIG home exercises for people with Parkinson disease. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Fox, C., Guse, L., Tuccitto, J. & Ramig, L. (2014). Online LSVT BIG Training and Certification Workshop. Distributed by LSVT Global, 3323 N. Campbell Ave., Suite 5, Tucson, AZ 85719. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

For additional information, please see the following website: www.LSVTGlobal.com