VOLTVENT®
VENTILATION SYSTEMS

EU Declaration of Conformity

Axial Fans

Manufacturer

VOLTVENT HAVALANDIRMA SİSTEMLERİ SANAYİ TİCARET LİMİTED ŞİRKETİ

Yeşilköy Mah. Atatürk Cad., EGS Business Park, No:12, Unit:1
Bakırköy, Istanbul, Turkey

Products are individually identified in the attached Annex A model schedule.

Product designation	Model / type designation
Axial Fans Wall, tube, cooling, bifurcated, portable and greenhouse axial fans	**683 configurations / 10 series** **VAF-SF 250** **VAF-SF 400** **VAF-SF 300** **VAF-SF 400** **VAF-SF 300** **VAF-SF 400** **VAF-SF 350** **VAF-SF 450** **VAF-SF 350** **VAF-SF 450** Complete individual list: Annex A, pages 2-14

Declaration wording for issue (draft): The manufacturer declares under its sole responsibility that the products identified in Annex A conform to the legislation and standards established in their verified technical files. The scope schedule below remains subject to product-specific verification.

Safety legislation	2006/42/EC for complete machinery; 2014/35/EU for products within LVD scope. Final classification required.
EMC	2014/30/EU, where applicable to the delivered fan and control assembly.
RoHS	2011/65/EU, as amended, including (EU) 2015/863; scope and exclusions to be checked.
Fan ecodesign	(EU) 2024/1834, as amended by (EU) 2025/2481, where its power and intended-use scope applies.
Motor / drive ecodesign	(EU) 2019/1781 only for motor and drive types within its scope.
Ventilation unit ecodesign	(EU) No 1253/2014 only where the delivered product is an in-scope ventilation unit.

Candidate standard families - final applied editions to be verified

EN ISO 12100; EN ISO 13857; EN 60204-1 or applicable EN 60335 parts; relevant EMC emission/immunity standards.

The final motor, guards and controls must be identified. Standard axial products do not acquire fire-resistance or Ex-proof conformity from an optional variant.

For and on behalf of the manufacturer

Istanbul, Turkey

Mehmet Şanver Pirim
Deputy General Manager

Place and date

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

1-54 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VAF-SF** Axial cooling fans **VAS-X** Axial fans **VAS-W** Axial fans **VAF-C** Axial fans **VAF-W** Wall axial fans **VLF-W** Wall mounted axial fans	**VAF-SF 250** 230 V; 1 ph; 50 Hz; 0.055 kW **VAF-SF 300** 230 V; 1 ph; 50 Hz; 0.072 kW **VAF-SF 300** 230 V; 1 ph; 50 Hz; 0.08 kW **VAF-SF 350** 230 V; 1 ph; 50 Hz; 0.115 kW **VAF-SF 350** 230 V; 1 ph; 50 Hz; 0.09 kW **VAF-SF 400** 230 V; 1 ph; 50 Hz; 0.16 kW **VAF-SF 400** 230 V; 1 ph; 50 Hz; 0.11 kW **VAF-SF 400** 400 V; 3 ph; 50 Hz; 0.14 kW **VAF-SF 450** 230 V; 1 ph; 50 Hz; 0.245 kW **VAF-SF 450** 400 V; 3 ph; 50 Hz; 0.2 kW **VAF-SF 500** 230 V; 1 ph; 50 Hz; 0.42 kW **VAF-SF 500** 400 V; 3 ph; 50 Hz; 0.425 kW **VAF-SF 630** 230 V; 1 ph; 50 Hz; 0.97 kW **VAF-SF 630** 400 V; 3 ph; 50 Hz; 1 kW **VAS-X 200-2P** 230 V; 1 ph; 50 Hz; 0.063 kW **VAS-X 200-4P** 230 V; 1 ph; 50 Hz; 0.055 kW **VAS-X 250-2P** 230 V; 1 ph; 50 Hz; 0.1 kW **VAS-X 250-4P** 230 V; 1 ph; 50 Hz; 0.055 kW **VAS-X 300-2P** 230 V; 1 ph; 50 Hz; 0.14 kW **VAS-X 300-4P** 230 V; 1 ph; 50 Hz; 0.065 kW **VAS-X 350-2P** 230 V; 1 ph; 50 Hz; 0.2 kW **VAS-X 350-4P** 230 V; 1 ph; 50 Hz; 0.075 kW **VAS-W 200-2P** 230 V; 1 ph; 50 Hz; 0.063 kW **VAS-W 200-4P** 230 V; 1 ph; 50 Hz; 0.055 kW **VAS-W 250-2P** 230 V; 1 ph; 50 Hz; 0.1 kW **VAS-W 250-4P** 230 V; 1 ph; 50 Hz; 0.055 kW **VAS-W 300-2P** 230 V; 1 ph; 50 Hz; 0.14 kW	**VAS-W 300-4P** 230 V; 1 ph; 50 Hz; 0.065 kW **VAS-W 350-2P** 230 V; 1 ph; 50 Hz; 0.2 kW **VAS-W 350-4P** 230 V; 1 ph; 50 Hz; 0.075 kW **VAF-C 250-2P** 230 V; 1 ph; 50 Hz; 0.18 kW **VAF-C 250** 230 V; 1 ph; 50 Hz; 0.125 kW **VAF-C 300** 230 V; 1 ph; 50 Hz; 0.165 kW **VAF-C 350** 230 V; 1 ph; 50 Hz; 0.21 kW **VAF-C 400** 230 V; 1 ph; 50 Hz; 0.22 kW **VAF-C 450** 230 V; 1 ph; 50 Hz; 0.3 kW **VAF-C 500** 230 V; 1 ph; 50 Hz; 0.32 kW **VAF-C 550** 230 V; 1 ph; 50 Hz; 0.375 kW **VAF-C 600** 230 V; 1 ph; 50 Hz; 0.39 kW **VAF-W 250-2P** 230 V; 1 ph; 50 Hz; 0.15 kW **VAF-W 250** 230 V; 1 ph; 50 Hz; 0.125 kW **VAF-W 300** 230 V; 1 ph; 50 Hz; 0.165 kW **VAF-W 350** 230 V; 1 ph; 50 Hz; 0.21 kW **VAF-W 400** 230 V; 1 ph; 50 Hz; 0.22 kW **VAF-W 450** 230 V; 1 ph; 50 Hz; 0.3 kW **VAF-W 500** 230 V; 1 ph; 50 Hz; 0.32 kW **VAF-W 550** 230 V; 1 ph; 50 Hz; 0.375 kW **VAF-W 600** 230 V; 1 ph; 50 Hz; 0.39 kW **VLF-W 400/5-25/0,37kW/4P** 380 V; 3 ph; 50 Hz; 0.37 kW **VLF-W 450/5-25/0,55kW/4P** 380 V; 3 ph; 50 Hz; 0.55 kW **VLF-W 500/5-25/0,55kW/4P** 380 V; 3 ph; 50 Hz; 0.55 kW **VLF-W 560/5-25/0,75kW/4P** 380 V; 3 ph; 50 Hz; 0.75 kW **VLF-W 630/5-30/1,10kW/4P** 380 V; 3 ph; 50 Hz; 1.1 kW **VLF-W 710/5-30/1,50kW/4P** 380 V; 3 ph; 50 Hz; 1.5 kW

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

55-108 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-W** Wall mounted axial fans **VLF-BIF** Bifurcated axial flow fans **VPAF** Portable axial flow fans **VLF-T** Tube axial flow fans	**VLF-W 800/5-30/2,20kW/4P** 380 V; 3 ph; 50 Hz; 2.2 kW **VLF-W 800/5-35/3,00kW/4P** 380 V; 3 ph; 50 Hz; 3 kW **VLF-W 900/5-35/4,00kW/4P** 380 V; 3 ph; 50 Hz; 4 kW **VLF-W 900/5-40/5,50kW/4P** 380 V; 3 ph; 50 Hz; 5.5 kW **VLF-W 1000/5-40/7,50kW/4P** 380 V; 3 ph; 50 Hz; 7.5 kW **VLF-BIF 710/5-30/1,50kW/4P** 380 V; 3 ph; 50 Hz; 1.5 kW **VLF-BIF 800/5-30/2,20kW/4P** 380 V; 3 ph; 50 Hz; 2.2 kW **VLF-BIF 800/5-35/3,00kW/4P** 380 V; 3 ph; 50 Hz; 3 kW **VLF-BIF 900/5-35/4,00kW/4P** 380 V; 3 ph; 50 Hz; 4 kW **VLF-BIF 900/5-40/5,50kW/4P** 380 V; 3 ph; 50 Hz; 5.5 kW **VLF-BIF 1000/5-40/7,50kW/4P** 380 V; 3 ph; 50 Hz; 7.5 kW **VLF-BIF 900/8-40/11,00kW/4P** 380 V; 3 ph; 50 Hz; 11 kW **VLF-BIF 1000/8-40/15,00kW/4P** 380 V; 3 ph; 50 Hz; 15 kW **VLF-BIF 1000/8-45/18,50kW/4P** 380 V; 3 ph; 50 Hz; 18.5 kW **VLF-BIF 1120/8-40/22,00kW/4P** 380 V; 3 ph; 50 Hz; 22 kW **VLF-BIF 1120/8-45/30,00kW/4P** 380 V; 3 ph; 50 Hz; 30 kW **VPAF 560/5-25/0,75kW/4P** 380 V; 3 ph; 50 Hz; 0.75 kW **VPAF 630/5-30/1,10kW/4P** 380 V; 3 ph; 50 Hz; 1.1 kW **VPAF 710/5-30/1,50kW/4P** 380 V; 3 ph; 50 Hz; 1.5 kW **VPAF 800/5-30/2,20kW/4P** 380 V; 3 ph; 50 Hz; 2.2 kW **VLF-T 400/6-34°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-32°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-30°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-28°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-26°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-24°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-22°/2P** 400 V; 3 ph; 50 Hz	**VLF-T 400/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-16°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-14°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-12°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-8°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-28°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-26°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-24°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-22°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-16°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-14°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-12°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-8°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-28°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-26°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-24°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-22°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-16°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-14°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-12°/2P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

109-162 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 500/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-8°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-22°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-16°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-14°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-12°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-8°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-16°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-14°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-12°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-8°/2P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-36°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-34°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-18°/4P** 400 V; 3 ph; 50 Hz	**VLF-T 500/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-36°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-34°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-38°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-36°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-34°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-30°/4P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

163-216 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 630/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-22°/4P** 400 V; 3 ph; 50 Hz	**VLF-T 710/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-18°/4P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

217-270 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 800/9-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-16°/4P** 400 V; 3 ph; 50 Hz	**VLF-T 900/9-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-14°/4P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

271-324 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 1000/9-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-36°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-10°/6P** 400 V; 3 ph; 50 Hz	**VLF-T 500/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-34°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-36°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-34°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-14°/6P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

325-378 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 560/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-38°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-36°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-34°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-14°/6P** 400 V; 3 ph; 50 Hz	**VLF-T 710/3-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-10°/6P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

379-432 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 800/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-8°/6P** 400 V; 3 ph; 50 Hz	**VLF-T 900/9-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-32°/6P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

433-486 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 1000/9-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-32°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-30°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-28°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-26°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-22°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-24°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-22°/6P** 400 V; 3 ph; 50 Hz	**VLF-T 1250/9-20°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-18°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-16°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-14°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-12°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-10°/6P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-8°/6P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-34°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-28°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-38°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-36°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-34°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-32°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-30°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-28°/4P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

487-540 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 450/6-26°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-24°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-22°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-20°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-18°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-16°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-14°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-12°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-10°/4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-8°/4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-34°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-32°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-30°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-28°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-26°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-24°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-22°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-20°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-18°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-16°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-14°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-12°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-10°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 400/6-8°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-28°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-26°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-24°/2-4P** 400 V; 3 ph; 50 Hz	**VLF-T 450/6-22°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-20°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-18°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-16°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-14°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-12°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-10°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 450/6-8°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-28°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-26°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-24°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-22°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-20°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-18°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-16°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-14°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-12°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-10°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 500/6-8°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-22°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-20°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-18°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-16°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-14°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-12°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-10°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 560/6-8°/2-4P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

541-594 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 630/6-20°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-18°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-16°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-14°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-12°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-10°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 630/6-8°/2-4P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/3-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-18°/4-8P** 400 V; 3 ph; 50 Hz	**VLF-T 710/6-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 710/6-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/6-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-16°/4-8P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

595-648 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans	**VLF-T 800/9-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 800/9-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/6-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-14°/4-8P** 400 V; 3 ph; 50 Hz	**VLF-T 900/9-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 900/9-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/6-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-12°/4-8P** 400 V; 3 ph; 50 Hz

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE

649-683 of 683 configurations

Category / product description	Model / type designation	
Axial Fans **VLF-T** Tube axial flow fans **VAB** Wall mounted greenhouse fans	**VLF-T 1000/9-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1000/9-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-32°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-30°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-28°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-26°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/6-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-24°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-22°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-20°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-18°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-16°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-14°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-12°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-10°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 1250/9-8°/4-8P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-10°/2P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-28°/2P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-26°/2P** 400 V; 3 ph; 50 Hz	**VLF-T 355/6-24°/2P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-20°/2P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-18°/2P** 400 V; 3 ph; 50 Hz **VLF-T 355/6-14°/2P** 400 V; 3 ph; 50 Hz **VAB 60** 380 V; 3 ph; 50 Hz; 0.25 kW **VAB 80** 380 V; 3 ph; 50 Hz; 0.37 kW **VAB 100** 380 V; 3 ph; 50 Hz; 0.37 kW **VAB 140** 380 V; 3 ph; 50 Hz; 1.1 kW

UNSIGNED DRAFT - SCOPE REVIEW - NOT FOR ISSUE